Remicade/Remicade Biosimilars Enrollment Form



Fax Referral To: 1-855-297-1270

Phone: 1-888-280-1190

Address: 280 Avenida Jesus T. Pinero Ste B Rio Piedras, PR 00927

NCPDP: 4026325

PATIENT INFORMATION		nclude demographic she				
Patient Name:				Ge	nder: \square Male	☐ Female
Address:						
Preferred Contact Methods:						ail provided
below)						·
Note: Carrier charges may app	ly. By providing th	e phone number(s) and e	email address abo	ve, you are con	senting to rece	ive
automated calls, emails and/o	r text messages fro	om CVS Specialty® abou	t your prescription	(s), account, a	nd health care. S	Standard data
rates apply. Message frequence	y varies. If unable	to contact via text or em	ail, Specialty Phari	macy will atten	npt to contact b	y phone.
Primary Phone:			Alternate Phone: _			
Email:		Last Four o	f SSN:	Primary Langi	uage:	
Parent/Caregiver/Legal Guard	lian Name (Last, F	irst):	_Relationship to	patient:		
2 PRESCRIBER INFORM	ATION					
Prescriber's Name:			State License #	•		
NPI #: DEA #: _	Grou	p or Hospital:	0.0.0 2.001.00 //			
Address:		City, State, 2	ZIP Code:			
Address:		Contact Person:		Contact'	s Phone:	
TOLAGNOSIS AND CLIN	IICAL INEODM	ATION				
4 DIAGNOSIS AND CLIN	ICAL INFORM	ATION				
Diagnosis (ICD-10):	D) of the amell into	otino	VE1 00 I lleamative	colitic (LIC)		
K50.00 Crohn's disease (C			K51.90 Ulcerative L40.50 Arthropat		١٥٨)	
			M45.9 Ankylosing		•	
Other Code: Desc			W45.9 Alikylosiil	j sporidyillis (A	3)	
Allergies:	11ption	NKDA Weight:		ka Heiaht:		☐ cm
Prior therapy, treatment dates				_ kg ricigii		0,,,
Treatment status: New to t	nerapy \square Continu	uation of therapy: date o	f last treatment	/ / Ne	eds by date:	
Nursing and Administratio	n.					
First dose administration of me		es (mARs) should be adi	ministered in a cor	ntrolled setting	(may vary dene	ending upon
medication specific policy).	moderial artiboar	co (III/ IDS) silicata bo dal		in onoa sounig	(may vary dope	manig apon
For Remicade/Remicade Bio	similars. the first	dose must be administe	ered in a controlle	ed settina.		
Specialty pharmacy to coording				•		
Site of Care: Home Infusion					Other Infusi	on Clinic
*Home Infusion/Coram AIS: D		-				
**Prescriber's Office/Other Inf	usion Clinic: Drug	only for facility administ	ration	•		

Remicade/Remicade Biosimilars Enrollment Form

	P	ease Complete Patient, Prescriber	and Patient Clinical Information			
Patient Name:		Patient DOB:				
Prescriber Name: _		Prescriber Phone:				
<u>Patient Clinical Inf</u>	<u>formation:</u>	_				
Allergies:			🗌 lb 🗌 kg Height:_			
• • •		d reason(s) for discontinuation:				
		py \square Continuation of therapy; date		eeds by date:		
		ON Ship to: Patient Office				
MEDICATION	STRENGTH	DOSE & DIF	RECTIONS	QUANTITY/REFILLS		
		AS Induction Dose:		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =m	ng) at weeks 0, 2, 6 and every	Refills: 0		
		6 weeks thereafter				
		AS Maintenance Dose:		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =mg		Refills:		
☐ Avsola		☐ CD (Adult and Pediatric ≥ 6 year		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =	mg) at weeks 0, 2, 6 and every	Refills: 0		
		8 weeks thereafter		O		
☐ Inflectra		CD (Adult) Maintenance Dose:	mag) avama Quua alsa	Quantity: (# of vials)		
		Infuse IV at 5-10 mg/kg (Dose =		Refills: (# of viols)		
☐ Infliximab		☐ CD (Pediatric ≥ 6 years old) Mair Infuse IV at 5 mg/kg (Dose =		Quantity: (# of vials) Refills:		
	100 mg vial	PsO/PsA Induction Dose:	ing/ every 8 weeks	Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =	ma) at weeks 0.2.6 and every	Refills: 0		
Remicade		8 weeks thereafter	ing/ at weeks 0, 2, 0 and every	Kemis. 0		
		PsO/PsA Maintenance Dose:		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =	ma) everv 8 weeks	Refills:		
Renflexis		RA Induction Dose:		Quantity: (# of vials)		
		Infuse IV at 3 mg/kg (Dose =r	Refills: 0			
		8 weeks thereafter				
		RA Maintenance Dose:		Quantity: (# of vials)		
		Infuse IV at 3-10 mg/kg (Dose =	mg) every 4, 6 or 8 weeks	Refills:		
		(circle one)				
		UC (Adult and Pediatric ≥ 6 year		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =	_mg) at weeks 0, 2, 6 and every	Refills: 0		
		8 weeks thereafter	1004	0 (# 5 . 1)		
		UC (Adult and Pediatric ≥ 6 year		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =	mg) every 8 weeks	Refills:		
Othow				Quantity: (# of vials)		
Other:				Refills:		
PRESCRIBER	RSIGNATURE	REQUIRED (STAMP SIGNAT	TURE NOT ALLOWED)			
		essary / Do Not Substitute / No Substitution /	May Substitute / Product Selection Permitt	red /		
DAW / May Not Substi	tute	·	Substitution Permissible			
Prescriber's Sign	nature:	Date:	Prescriber's Signature:	Date:		

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Remicade/Remicade Biosimilars Enrollment Form Nursing Orders

Patient Name:		Complete Patient, Prescriber and Patient DOB:	Patient Phone: _	
rescriber Name:			Prescriber Phone:	
PRESCRIPTION IN	FORMATIO	N **ITEMS BELOW THIS LINE W	ILL ONLY BE SENT FOR INFUSIONS DON	NE AT HOME/CORAM AIS**
MEDICATION/SUPPLIES	ROUTE		ENGTH/ DIRECTIONS	QUANTITY/REFILLS
Catheter: PIV PORT CVC/PICC	IV	maintain IV access and patence PIV: NS 5 mL (Heparin 10 units.	s/mL 3-5 mL if multiple days) eparin 10 units/mL or 100 units/mL access PORT w/ huber needle	Quantity: Refills:
Hydration: ☐ NS ☐ D5W	IV	Pre: ☐ 500 mL ☐ 1000 mL ☐ Other: Concurrent: ☐ 500 mL ☐ 1000 mL ☐ Other: Post: ☐ 500 mL ☐ 1000 mL ☐ Other:		Hydration max infusion rate mL/hr (Adult max rate 250 mL/hr unless otherwise indicated)
☐ Epinephrine **nursing requires**	□ IM □ SC	☐ 1:1000, 0.3mg/0.3 mL (greating of the control of	Quantity: Refills:	
Diphenhydramine Oral	РО	Premedication: ☐ 12.5 mg/kg (0-30 kg) ☐ 25 mg ☐ 50 mg (Over 30 kg)		Quantity: Refills:
☐ Diphenhydramine 50 mg/mL vial **nursing required**	Slow IV	1 mg/kg (under 15 kg) 12.5 mg-50 mg (15-30 kg) 25 mg-50 mg (Over 30 kg) If mild/moderate reaction: may repeat in 3-5 minutes as needed (Adult max dose: 100 mg/day) If severe allergic reaction: call 911		Quantity: Refills:
☐ Flush Orders:	Peripheral Access Central Venous Access	☐ 10 mL NS post flush ☐ 50 mL NS post flush to clear medication from tubing (recommended if no post-hydration)☐ Other:		Send quantity sufficient for medication days supply
Additional Medication:				
☐ Patient is interested in patient supplements of PRESCRIBER SIGN		STAMP SIGNATURE NOT ALLOWED OUIRED (STAMP SIGNAT	, ,,	provided as needed for administratio
	Medically Necessary / I	/ Do Not Substitute / No Substitution /	May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature:	Date:

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments. Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.