Myasthenia Gravis Subcutaneous Enrollment Form



Fax Referral To: 1-855-297-1270

Phone: 1-888-280-1190 Address: 6020 Ave Roberto Sanchez Vilella Carolina, PR 00982 NCPDP: 4026325

PATIENT INFORMAT		ple Steps to Submitting a de demoaraphic sheet)	ROTOTTAL	
				Gender: 🗌 Male 🔲 Female
Address:		City, State, 2	ZIP Code:	
				w) Email (to email provided below)
				ing to receive automated calls, emails and
				pply. Message frequency varies. If unable
ontact via text or email, Specialty			,	
			one:	
mail:		Last Four of SSN:	Primar	y Language:
arent/Caregiver/Legal Guard	ian Name (Last, First):	Relations	hip to patient	:
PRESCRIBER INFOR	MATION			
		Obata Lia		
rescriber's Name:		State Lice	:nse #:	
NPI #: DEA #:	Group or Ho	ospital:		
Address:		City, State, ZIP C	;ode:	Contact's Phone:
'hone:	Fax:	Contact Person:		Contact's Phone:
				h this form, if available (front and bac
s the Patient Insured? \square Yes \square				
olicy Holder's Name:		Policy Holder's DOB:		Relationship to Patient:
1edical Insurance:	Telephon	e: Policy ID:		Group #:
rescription Insurance:		Prescription Plan Tel	ephone:	
				RX PCN #:
_ Check box ii patient is enilotted	iii mandiacturei copay assis	n yes, piease pro	vide ID#	
DIAGNOSIS AND CL	INICAL INFORMA	TION		
Needs by Date:	Shi	p to: Patient Office	Other:	
Diagnasia (ICD 40):				
Diagnosis (ICD-10):		#in	41 : - 0 :	to outsite (a cost o) cost of outside at the co
		tion G70.01 Mya		
Other Code:	Description:			
Patient Clinical Informatio	n•			
Allergies:		Weight:	lh/ka H	eight: In/cm
rior therapy, treatment dates,	and reason(s) for discon	thanon,		Needs by date:
	_	or therapy; date or last treatm	ent//_	Needs by date:
	Date of assessment:			
· · · · · · · · · · · · · · · · · · ·	Positive Negative			
MuSK Antibody Test:	Positive	Not Known		
Nursing and Administratio	n·			
Specialty pharmacy to coordin		/injection training nurse visit	as necessarv	? □Yes□No
production productions of the contraction of the co		,,	,	
Patient Administration Locati	on:			
Prescribing physician office	**	Home injection/infusion*		
Coram Ambulatory Infusion		Other infusion center		
	· · · · · · · · · · · · · · · · · ·			
F OR RYSTIGGO – Pump, Sup	plies. Nursing services fo	or drug administration		

- * FOR VYVGART HYTRULO VIALS Supplies & Nursing services for drug administration
- * FOR VYVGART HYTRULO PREFILLED SYRINGES Supplies & Nursing services for drug administration and self-administration training.
- **Prescriber's Office/Other Infusion Clinic: Drug only for facility administration

Myasthenia Gravis Subcutaneous Enrollment Form

		ent DOB:	Patient Pl	hone:	
tient Address:					
escriber Name:		Prescriber	Phone:		
tient Clinical Info	ormation:				
ergies:		Weight: _	lb/kg	Height:in/cm	
PRESCRIPTIO	N INFORMATION				
MEDICATION	STRENGTH		DOSE & DIRECTIONS		
Rystiggo	☐ 420 mg/3 mL (140 mg/mL)	Administer 420 infusion using a	ning less than 50 kg omg (3 mL) as a subcutaned an infusion pump at a rate o weekly for 6 weeks (1 cycle der	of up to vials (1 cycle)	
	☐ 560mg/4 mL (140 mg/mL)	Administer 560 infusion using a	ning 50 kg to less than 100 o mg (4 mL) as a subcutaned an infusion pump at a rate o weekly for 6 weeks (1 cycle	ous of up to Number of refills	
	Administer 840 infusion using a 20 mL/hr once of the mg/mL) Administer 840 infusion using a 20 mL/hr once of the mg/mL (140 mg/mL) Administer substitution initiating subsection in the manual properties of the mg/mL (140 mg/mL) in the mg/mL) in the mg/mL (140 mg/mL) in the mg/mL (140 mg/mL) in the mg/mL) in the mg/mL (140 mg/m		ning 100 kg and above I mg (6 mL) as a subcutaned an infusion pump at a rate of weekly for 6 weeks (1 cycle) sequent treatment cycles be ion. The safety of quent cycles sooner than 60 if the previous treatment cycles be	Initiation of Last Cycle Date: ous of up to Quantity Sufficient of vials (1 cycle) pased on Number of refills (Treatment cycles) authorized:	
atient is interested in patient	t support programs STAMP S	GNATURE NOT ALLOWED	Ancillary su	upplies and kits provided as needed for administratio	
			·		
6 PI	RESCRIBER SIGNATU	RE REQUIRED	(STAMP SIGNATUR	RE NOT ALLOWED)	
"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution /			May Substitute / Product Selection Permitted /		
DAW / May Not Substitute Prescriber's Signature:Date:			Substitution Permissible Prescriber's Signature:	Date:	
escriber s signatu	r e:	Date:	riescriber's Signature: _	Date:	

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Myasthenia Gravis Subcutaneous Enrollment Form

			DOB:Patient Phone:				
			Dh				
		Prescrib	er Phone:				
Patient Clinical Info		\\\ - !l- +	_	Un Alvai	المامة الما		
Allergies:		Weight	•	เb/кg	Height	t:in/cm	
	NINFORMATION					-	
MEDICATION	STRENGTH		DOSE & DIRECT	IONS		QUANTITY/REFILLS	
☐ Vyvgart Hytrulo Vial	1,008 mg efgartigimod al and 11,200 units hyaluronidas per 5.6 mL	efgartigimod per week) sub 30 to 90 seco Administer su to clinical eva subsequent o	weekly injections (1,008 mg dalfa and 11,200 units hyaluronidase aboutaneously over approximately onds. ubsequent treatment cycles according aluation. The safety of initiating cycles sooner than 50 days from the revious treatment cycle has not been			nitiation of Last Cycle Pate: Duantity Sufficient of ials (1 cycle) Itumber of refills Treatment cycles) uthorized: 1 cycle = 4 weekly njections	
☐ Vyvgart Hytrulo Prefilled Syringe	1,000 mg efgartigimod al and 10,000 units hyaluronida per 5mL	efgartigimod per week) subsections efa Administer subsciplinations subsequent of	veekly injections (1,000 mg alfa and 10,000 units hyaluronidase cutaneously over 20 to 30 seconds. esequent treatment cycles according uation. The safety of initiating roles sooner than 50 days from the evious treatment cycle has not been			nitiation of Last Cycle pate: Duantity Sufficient of refilled syringes (1 cycle lumber of refills Freatment cycles) uthorized: 1 cycle = 4 weekly njections	
Nursing Medicat	iono					.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		Infusion					
	ow, required for Home						
□ Epinephrine **nursing requires** □ IM □ 1:1000 □ 1:1000 Mild-Mod		:1000, 0.3 mg/0.3 mL (:1000, 0.15 mg/0.3 mL :1000, 0.01 mg/kg, Ma -Moderate Reactions.	DOSE/STRENGTH/DIRECTIONS 0, 0.3 mg/0.3 mL (greater than 30 kg/66lbs) 0, 0.15 mg/0.3 mL (15-30 kg/33-66lbs) 0, 0.01 mg/kg, Max 0.3 mg (under 15 kg) derate Reactions. May repeat in 3-5 minutes as needed e allergic reaction also call 911		ed	QUANTITY/REFILL Quantity: Refills:	
Patient is interested in patient		SIGNATURE NOT ALLOWED			•	ided as needed for administration	
6 PR	ESCRIBER SIGNAT	URE REQUIRE	D (STAMP SIG	GNATURE	NOT AL	.LOWED)	
"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / DAW / May Not Substitute		stitute / No Substitution /				Date:	

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments.

Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Health and/or one of its affiliates.