

Tyvaso and Tyvaso DPI are available only through select Specialty Pharmacy Services (SPS) providers. This Patient Enrollment and Specialty Pharmacy Referral Form collects the information necessary for the SPS providers to process prescriptions and provides patients with the opportunity to enroll in the patient support program known as United Therapeutics Cares[™].

Follow these 8 steps to complete each section of the following referral form.

GET STARTED CHECKLIST

- Review the service(s) for which your patient is applying to receive from United Therapeutics Cares.
- Fill out the Patient and Insurance Information. Let your patient know that an SPS provider will be calling, and it is important to answer or return the call.
- Complete and sign the Prescriber Information, Medical Information, and Treatment History and Transition Statement.
- Complete and sign the Prescription Information, Statement of Medical Necessity for either PH-ILD or PAH, and Calcium Channel Blocker Statement (CCB Statement not required for PH-ILD).

- **5** Complete the Optional Side Effect Management page.
- Patient to review, fill out check box consents (as applicable) and sign Patient Consent statement.
- Patient to review and sign Patient Authorization statement.
- 8 Attach the clinical documents outlined on the Fax Cover Sheet, including right heart catheterization test results, history and physical, and echocardiogram results. Use the included Fax Cover Sheet in this PDF to fax the referral form and signed supporting documents to United Therapeutics Cares or your preferred SPS provider. (Note: Insurance plans vary and may impact the approval process.)

1 UNITED THERAPEUTICS CARES

United Therapeutics Cares[•] United Therapeutics Corporation ("United Therapeutics") offers United Therapeutics Cares to help patients start their prescribed United Therapeutics medications. By completing and submitting this Referral Form, the patient agrees to be screened for and receive, if applicable, the following services:

Access and Affordability Support: United Therapeutics Cares provides support to educate patients and caregivers on their insurance coverage, answer access-related questions, and discuss financial assistance eligibility and enrollment options. United Therapeutics Cares investigates patients' insurance coverage (including prior authorization and appeals process requirements and guidelines), as well as patients' eligibility for affordability programs and other support options, such as the United Therapeutics Cares Patient Assistance Program and other United Therapeutics free drug programs and co-pay assistance.

Scan to add United Therapeutics Cares to your phone contacts



Product Education: United Therapeutics Cares offers a dedicated point of contact for patients and provides disease and product education support to patients and their caregivers as they start and continue their medication journey.

Coordination: United Therapeutics Cares offers a dedicated point of contact who works with patients and their caregivers, specialty pharmacies and healthcare providers to help reduce non-clinical barriers to therapy, including conducting prescription triage, coordinating delivery, and checking in with patients on an ongoing basis post therapy initiation.

United Therapeutics Cares Patient Assistance Program: The United Therapeutics Cares Patient Assistance Program offers a free medication program for uninsured and underinsured patients who meet eligibility requirements (additional information can be found on our website at www.UnitedTherapeuticsCares.com).

Consent to enroll in the services does not guarantee that any service(s) will be provided. Patient and healthcare provider acknowledge that additional information may be needed to assess eligibility for and provide the services. Consent is not required to submit a prescription and have a specialty pharmacy process the prescription.



Group #

Group #



Patient Name:	Date of B	Birth:	
2 PATIENT INFORMATION			
Name - First	Middle	Last	
Date of Birth	Gender	Last 4 Digits of SSN	
Home Address			
City	State	Zip	
Shipping Address (if different from home	address)		
City	State	Zip	
Telephone: Home Cell Work	Alternate Telephone: 🗌 Home 🗌 Cell 🗌 Work	Best Time to Call: Morning Afternoon Evening	
E-mail Address		Okay to leave a voicemail? 🗌 Yes 🔲 No	
Caregiver/Family Member	Caregiver Telephone: 🗌 Home 🗌 Cell 🗌 Work	Caregiver Alternate Telephone: Home Cell Work	
Caregiver E-mail Address	Caregiver Alternate E-mail Address	Okay to leave a voicemail? See No	
2 INSURANCE INFORMATION			
Primary Prescription Insurance			
Subscriber ID #	Group #	Telephone	
Primary Medical Insurance		Policy Holder/Relationship	

Secondary Medical Insurance

Subscriber ID #

Subscriber ID #

Please include copies of the front and back of the patient's medical and prescription insurance card(s).

Telephone

Telephone

Policy Holder/Relationship





			Date of	of Birth:		
3 PRESCRIBER INFORMATION						
Prescriber Name - First Last			NPI #		State License #	
Office/Clinic/Institution Name			Office Contac	t Name		
Address			City		State Zip	
Office Contact Phone Fax			Office Contac	t E-mail		
Preferred Method of Communication:	Phone 🗆 E-	mail 🗌 Mail 🔲 F	ax			
3 MEDICAL INFORMATION / PATI	ENT EVAL	UATION / SUP	PORTING DOCU	MENTATION		
Patient Product Therapy Status for the Re Naïve/New Restart	quested Dru	-	pecialty Pharmacy: Health Group, Inc.	CVS Specialty	Patient Status:	WHO Group
NYHA Functional Class (PAH Only):	Weight: Height:	kg 🗖 lb ftin	Diabetic:	Allergies:	Non-Drug Allergies	o Known Allergi
3 TREATMENT HISTORY AND TRA Please Indicate Treatment History	NSITION S	TATEMENT				
Trease maleate Treatment mistory			Transition State	ement (not requir	ed for PH-ILD patients)	
Modication	Current	Discontinued		· ·	ed for PH-ILD patients) pplicable) to transition	
Medication	Current	Discontinued	It is necessary fo	· ·	pplicable) to transition	
PDE-5 I (specify drug(s)):	Current	Discontinued	lt is necessary fo FROM	r this patient (if a	pplicable) to transition	
PDE-5 l (specify drug(s)): Epoprostenol	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection Letairis® (ambrisentan) Tablets	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection Letairis® (ambrisentan) Tablets Remodulin® (treprostinil) Injection	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection Letairis® (ambrisentan) Tablets Remodulin® (treprostinil) Injection Tracleer® (bosentan) Tablets	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection Letairis® (ambrisentan) Tablets Remodulin® (treprostinil) Injection Tracleer® (bosentan) Tablets Tyvaso® (treprostinil) Inhalation Solution	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection Letairis® (ambrisentan) Tablets Remodulin® (treprostinil) Injection Tracleer® (bosentan) Tablets Tyvaso® (treprostinil) Inhalation Solution Tyvaso DPI® (treprostinil) Inhalation Powder	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection Letairis® (ambrisentan) Tablets Remodulin® (treprostinil) Injection Tracleer® (bosentan) Tablets Tyvaso® (treprostinil) Inhalation Solution Tyvaso DPI® (treprostinil) Inhalation Powder Veletri® (epoprostenol) for Injection	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection Letairis® (ambrisentan) Tablets Remodulin® (treprostinil) Injection Tracleer® (bosentan) Tablets Tyvaso® (treprostinil) Inhalation Solution Tyvaso DPI® (treprostinil) Inhalation Powder	Current	Discontinued Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	
PDE-5 I (specify drug(s)): Epoprostenol Flolan® (epoprostenol sodium) for Injection Letairis® (ambrisentan) Tablets Remodulin® (treprostinil) Injection Tracleer® (bosentan) Tablets Tyvaso® (treprostinil) Inhalation Solution Tyvaso DPI® (treprostinil) Inhalation Powder Veletri® (epoprostenol) for Injection Ventavis® (iloprost) Inhalation Solution	Current	Discontinued	lt is necessary fo FROM	r this patient(if a TO	pplicable) to transition	

3 PRESCRIBER SIGNATURE

Uptravi® (selexipag) Tablets Ofev® (nintedanib) Capsules Esbriet® (pirfenidone) Tablets



Other:

Prescriber Name:

Prescriber Signature:

Date:

Tyvaso and Tyvaso DPI are registered trademarks of United Therapeutics Corporation. All other brands are trademarks of their respective owners. The makers of these brands are not affiliated with and do not endorse United Therapeutics or its products. Please note: The responsibility to determine coverage and reimbursement parameters, and appropriate coding for particular patient and/or procedure, is the responsibility of the provider. The information provided here is not a guarantee of coverage or reimbursement.





Patient Na	me:	Date of Birth:	
4 PH-ILD	- USE THIS SECTION FOR PH-ILE	D	
Diagnosis -	The following ICD-10 codes do not su	uggest approval, coverage, or reimbursement for specific uses	or indications.
PH Diagnosi ICD-10 I27.23	B Pulmonary hypertension due to lung	D one ILD-specific diagnosis code.	
CTD-related Environmen	84.10 Pulmonary fibrosis, unspecified ILD: ICD-10 M34.81 Systemic sclerosi tal/Occupational Lung Disease: Pneumoconiosis due to asbestos and ot	ICD-10 J84.111 Icliopathic interstitial pneumonia, NOS ICD-10 J84 is with lung involvement ther mineral fibers ICD-10 J67.9 Hypersensitivity pneumonitis due to classified elsewhere Other ICD-10:	unspecified dust
	-	oeuticsCares.com/codes for additional ICD-10 codes related to PAH, PH	
	Target dose: 9 breaths (54 mcg) to 12 bre (if 3 breaths are not tolerated, use 1 to 2 bre dose of 9 breaths (54 mcg) to 12 breaths (72 TYVASO Inhalation System Starter Kit TYVASO Inhalation System Refill Kit (2 Prescriber may specify any alternative OR TYVASO DPI (treprostinil) Inhalati Target dose: 48 mcg or 64 mcg or 5 Start with one 16-mcg cartridge per treatme session every 1 to 2 weeks, as tolerated, to prescribed dose is higher than 64 mcg per t TYVASO DPI Titration Kit (28-day supply) C 16 mcg (112 ct), 32 mcg (112 ct), and 48 mcg 16 mcg (112 ct) 32 mcg (112 ct) 48 mcg 16 mcg (112 ct) 32 mcg (112 ct) 48 mcg 16 mcg (112 ct) 32 mcg (112 ct) 48 mcg	t (28-day supply) 0 refills 28-day supply) X refills re or additional dosing and titration instructions here: ion Powder Other mcg per treatment session, 4 times daily (Check One) ent session, 4 times daily. Increase cartridge strength by 16 mcg per treatme selected target dose. Titration schedule may vary based on tolerability. If the treatment session, more than 1 cartridge will be needed per session. thoose for titration phase. rg (28 ct) 1 refill by) X refills aily. Please check the box of the maintenance kit for the desired target do mcg (112 ct) 64 mcg (112 ct) or additional dosing and titration instructions on the line below. If the p tridge will be needed per session:	t TYVASO Nebulizer # of Breaths ≤5 16 mcg 6 to 7 32 mcg 8 to 10 48 mcg 11 to 12 64 mcg 1 64 mcg 1 15 16 mcg 1 16 mcg 1 10 10 10 10 10 10 10 10 10
requirements	r is to comply with their state-specific prescript could result in outreach to the Prescriber.	nt and education on administration, dosing, and titration. Location:	guage, etc. Non-compliance of state-specific
to prov	ialty Pharmacy home healthcare RN visit de education on self-administration of Tyva so DPI, including dose, titration, and side eff ement.	aso	
4 PRESCR	IBER SIGNATURE: PRESCRIPTIO	ON AND STATEMENT OF MEDICAL NECESSITY	
SIGN HERE Physic	y that the pulmonary hypertension associated wit ICIAN'S SIGNATURE REQUIRED TO VAL cian's Signature: Dispense as Specific Dispense as Written (DAW) Selection Ve	Written Substitution Allowed	personally supervising the care of this patient Date:
		TAMPS.) PRESCRIPTIONS MUST BE FAXED. ics Corporation. All other brands are trademarks of their respective owners. The makers of these brands are r	not affiliated with and do not endorse United Therapeutics or

United Therapeutics Tyvaso® (treprostinil) and Tyvaso DPI® (treprostinil) Patient Enrollment and Specialty Pharmacy Referral Form



atient Nai	ame: Date of Birth:		
4 PAH - U	USE THIS SECTION FOR PAH		
Diagnosis - ⁻	- The following ICD-10 codes do not suggest approval, coverage, or reimbursement for specific us	ses or indications.	
<u> </u>	Primary pulmonary hypertension: I Idiopathic PAH Heritable PAH		
	1 Secondary pulmonary arterial hypertension: Connective tissue disease Drugs/Toxins induced Portal hypertension:	pertension HIV Cor	ogenital heart dise
Other:	Other ICD-10:		igenital field cabe
Other.	Please visit UnitedTherapeuticsCares.com/codes for additional ICD-10 codes related to PAH	PH and II D	
	 TYVASO (treprostinil) 1.74mg/2.9ml ampule (0.6mg/ml) Inhalation Solution Target dose: 9 breaths (54 mcg) to 12 breaths (72 mcg), 4 times daily - Start with 3 breaths (18 mcg) 4 times daily breaths are not tolerated, use 1 to 2 breaths). Increase by an additional 3 breaths every week, if tolerated, until the t dose of 9 breaths (54 mcg) to 12 breaths (72 mcg), 4 times daily. TYVASO Inhalation System Starter Kit (28-day supply) 0 refills TYVASO Inhalation System Refill Kit (28-day supply) X refills Prescriber may specify any alternative or additional dosing and titration instructions here: 	y (if 3	r Cartridge
	OR TYVASO DPI (treprostinil) Inhalation Powder	≤5	16 mcg 🔤
	Target dose: 48 mcg or 64 mcg or Other mcg per treatment session, 4 times daily (Check One)		32 mcg
	Start with one 16-mcg cartridge per treatment session, 4 times daily. Increase cartridge strength by 16 mcg per treat session every week to selected target dose. Titration schedule may vary based on tolerability. If the prescribed dos) 48 mcg
-	higher than 64 mcg per treatment session, more than 1 cartridge will be needed per session.		
	TYVASO DPI Titration Kit (28-day supply) Choose for titration phase.	11 to 1	2 64 mcg
	16 mcg (112 ct), 32 mcg (112 ct), and 48 mcg (28 ct) 1 refill TYVASO DPI Maintenance Kit (28-day supply) X refills		
	Inhale one breath per cartridge, 4 times daily. Please check the box of the maintenance kit for the desired target	et dose.	
	16 mcg (112 ct) 32 mcg (112 ct) 48 mcg (112 ct) 64 mcg (112 ct)		
	Prescriber may specify any alternative or additional dosing and titration instructions on the line below. If t	the prescribed dose is hi	gher than 64 mcg
	Prescriber may specify any alternative or additional dosing and titration instructions on the line below. If t per treatment session, more than 1 cartridge will be needed per session:	the prescribed dose is hi	gher than 64 mcg
	per treatment session, more than 1 cartridge will be needed per session:	the prescribed dose is hi	gher than 64 mcg
	per treatment session, more than 1 cartridge will be needed per session: Specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above.		
	per treatment session, more than 1 cartridge will be needed per session: Specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location:	Home Outpatien	t Clinic 🗌 Hospit
The Prescribe	per treatment session, more than 1 cartridge will be needed per session: Specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above.	Home Outpatien	t Clinic 🗌 Hospit
The Prescribe	per treatment session, more than 1 cartridge will be needed per session: Specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: there is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax its could result in outreach to the Prescriber.	Home Outpatien	t Clinic 🗌 Hospit
The Prescriber requirements Nurse Visits	per treatment session, more than 1 cartridge will be needed per session: Specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: there is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax its could result in outreach to the Prescriber.	Home Outpatien	t Clinic Hospit
The Prescriber requirements Nurse Visits HECK DNE Spec to provid	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: the is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts ts ts treatment sets and the control of Tyvaso or Tyvaso	Home Outpatien	t Clinic Hospit
The Prescriber requirements Nurse Visits ECK NE Spec to provid	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts ecialty Pharmacy home healthcare RN visit	Home Outpatien	t Clinic Hospit
The Prescriber requirements Nurse Visits HECK DE to provid DPI, inclu	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: the is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts ts ts treatment sets and the control of Tyvaso or Tyvaso	Home Outpatien	t Clinic Hospit
The Prescriber requirements Nurse Visits BRE Spec to provid DPI, inclu 4 CALCIU	per treatment session, more than 1 cartridge will be needed per session: specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: there is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts exclass prescription on self-administration of Tyvaso or Tyvaso cluding dose, titration, and side effect management. Prescriber directed Specialty Pharmacy home I UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients)	Home Outpatien	t Clinic Hospit
The Prescriber requirements Nurse Visits Spec to provid DPI, inclu 4 CALCIU Please indica	per treatment session, more than 1 cartridge will be needed per session: Specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: there is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts Image: Complexity Pharmacy home healthcare RN visit vide education on self-administration of Tyvaso or Tyvaso cluding dose, titration, and side effect management. Image: Complexity Pharmacy home healthcare RN visit	Home Outpatien	t Clinic Hospit
The Prescriber requirements Nurse Visits Spec to provid DPI, inclu 4 CALCIU Please indica A Calcium C	per treatment session, more than 1 cartridge will be needed per session: specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: the state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts Image: treat tr	Home Outpatien <i>a language, etc. Non-complia</i> healthcare RN visit(s) as	t Clinic Hospit
The Prescriber requirements Nurse Visits Spector DPI, inclu Question Please indica A Calcium C Patient ha	per treatment session, more than 1 cartridge will be needed per session: Specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: there is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts Image: Complexity Pharmacy home healthcare RN visit ride education on self-administration of Tyvaso or Tyvaso Image: Complexity Pharmacy home healthcare RN visit ride education, and side effect management. Image: Complexity Pharmacy home healthcare RN visit UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: mas depressed cardiac output as systemic hypotension	Home Outpatien Alanguage, etc. Non-compliant healthcare RN visit(s) as py and indicate the result	t Clinic Hospit
The Prescribe requirements Nurse Visits Spector DPI, inclu CALCIU Please indica A Calcium C Patient ha Patient ha	per treatment session, more than 1 cartridge will be needed per session: specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts Image: Complexity of the prescription of Tyvaso or Tyvaso cluding dose, titration, and side effect management. Image: Complexity of the patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: Image: Complexity of the patient is hemodynamically unstable or has a history of postural and systemic hypotension as systemic hypotension Image: Patient has documented bradycardia or second- or third-degree	Home Outpatien Alanguage, etc. Non-compliant healthcare RN visit(s) as py and indicate the result	t Clinic Hospit
The Prescribe requirements Nurse Visits Spec to provid DPI, inclu CALCIU Please indica A Calcium C Patient ha Patient ha Other:	per treatment session, more than 1 cartridge will be needed per session: specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts Image: Complexity of the prescription of Tyvaso or Tyvaso cluding dose, titration, and side effect management. UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: as depressed cardiac output nas systemic hypotension nas known hypersensitivity Patient is hemodynamically unstable or has a history of postural patient did not meet ACCP Guidelines for Vasodilator Response patient did not meet ACCP Guidelines for Vasodilator Response patient has documented bradycardia or second- or third-degreed patient has documented bradycardia or second- or third-degreed patient bradycardia or second- or third-degreed patient has documented bradycardia or second- or third-degreed patient did not meet bradycardia or second- or third-degreed patient did not meet documented bradycardia or second- or third-degreed patient did not meet documented bradycardia or second- or third-degreed patient did not meet documented bradycardia or second- or third-degreed patient did not meet documented bradycardia or second- or third-degreed patient did not meet documen	Home Outpatien <i>clanguage, etc. Non-complia</i> healthcare RN visit(s) as upy and indicate the result hypotension e heart block	t Clinic Hospit
The Prescribe requirements Nurse Visits DPI, inclu CALCIU Please indica A Calcium C Patient ha Patient ha Other: OR The follo	per treatment session, more than 1 cartridge will be needed per session: Specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts exclass y home healthcare RN visit vide education on self-administration of Tyvaso or Tyvaso Prescriber directed Specialty Pharmacy home healthcare RN visit vide education on self-administration of Tyvaso or Tyvaso Prescriber directed Specialty Pharmacy home healthcare RN visit vide education on self-administration of Tyvaso or Tyvaso Prescriber directed Specialty Pharmacy home I vide education on self-administration of Tyvaso or Tyvaso Prescriber directed Specialty Pharmacy home I vide education on self-administration of Tyvaso or Tyvaso Prescriber directed Specialty Pharmacy home I vide education on self-administration of Tyvaso or Tyvaso Prescriber directed Specialty Pharmacy home I vide education on self-administration of Tyvaso or Tyvaso Prescriber directed Specialty Pharmacy home I vide education on self-administration of Tyvaso or Tyvaso Prescriber directed for PH-ILD patients UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD pati	Home Outpatien <i>clanguage, etc. Non-complia</i> healthcare RN visit(s) as upy and indicate the result hypotension e heart block	t Clinic Hospit
The Prescribe requirements Nurse Visits Spector DPI, inclu CALCIU Please indica A Calcium C Patient ha Patient ha Other: OR The follo	per treatment session, more than 1 cartridge will be needed per session: Specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts excluding dose, titration, and side effect management. UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: mas systemic hypotension mas systemic hypotension mas systemic hypotension mas known hypersensitivity Patient has documented bradycardia or second- or third-degree lowing Calcium Channel Blocker was trialed: llowing response(s):	Home Outpatien <i>clanguage, etc. Non-complia</i> healthcare RN visit(s) as upy and indicate the result hypotension e heart block	t Clinic Hospit
The Prescriber requirements Nurse Visits Definition Definition Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ter is to comply with their state-specific prescription or Tyvaso Prescriber directed Specialty Pharmacy home I to comply with their state-specific prescription or Tyvaso contract prescriber directed Specialty Pharmacy home I does Prescriber directed Specialty Pharmacy home I total de education on self-administration of Tyvaso or Tyvaso Prescriber directed Specialty Pharmacy home I does de education, and side effect management. UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera channel Blocker was not trialed because: Patient did not meet ACCP Guidelines for Vasodilator Response mas known hypersensitivity Patient has documented bradycardia or second- or third-degre	Home Outpatien <i>clanguage, etc. Non-complia</i> healthcare RN visit(s) as upy and indicate the result hypotension e heart block tinued to rise	t Clinic Hospit
The Prescriber requirements Nurse Visits Spector DPI, inclu CALCIU Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo Patient hy Adverse e	per treatment session, more than 1 cartridge will be needed per session: specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax to could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the Prescriber. ts Image: could result in outreach to the prescriber. ts Image: could result in outreach to the pre	Home Outpatien <i>clanguage, etc. Non-complia</i> healthcare RN visit(s) as upy and indicate the result hypotension e heart block tinued to rise y unstable	t Clinic Hospit
The Prescriber requirements Nurse Visits Spector to provid DPI, inclu A CALCIU Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo Patient hy Adverse e Disease co	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts exialty Pharmacy home healthcare RN visit ride education on self-administration of Tyvaso or Tyvaso UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: nas depressed cardiac output nas systemic hypotension nas known hypersensitivity Patient did not meet ACCP Guidelines for Vasodilator Response nas known hypersensitivity Patient has documented bradycardia or second- or third-degree Ilowing response(s): hypersensitive or allergic uppersensitive or allergic continued to progress or patient remained symptomatic	Home Outpatien <i>clanguage, etc. Non-complia</i> healthcare RN visit(s) as upy and indicate the result hypotension e heart block tinued to rise y unstable	t Clinic Hospit
The Prescribe requirements Nurse Visits Spector to provid DPI, inclu CALCIU Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo With the follo Disease co Other:	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts Prescriber directed Specialty Pharmacy home healthcare RN visit ide education on self-administration of Tyvaso or Tyvaso cluding dose, titration, and side effect management. Prescriber directed Specialty Pharmacy home I Prescriber directed Specialty Pharmacy home I Prescriber directed Specialty Pharmacy home I UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) Cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: nas depressed cardiac output	Home Outpatien <i>clanguage, etc. Non-complia</i> healthcare RN visit(s) as upy and indicate the result hypotension e heart block tinued to rise y unstable	t Clinic Hospit
The Prescribe, requirements Nurse Visits Delta Spector to provid DPI, inclu CALCIU Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo With the follo Disease co Other:	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts exialty Pharmacy home healthcare RN visit ride education on self-administration of Tyvaso or Tyvaso UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: nas depressed cardiac output nas systemic hypotension nas known hypersensitivity Patient did not meet ACCP Guidelines for Vasodilator Response nas known hypersensitivity Patient has documented bradycardia or second- or third-degree Ilowing response(s): hypersensitive or allergic uppersensitive or allergic continued to progress or patient remained symptomatic	Home Outpatien <i>clanguage, etc. Non-complia</i> healthcare RN visit(s) as upy and indicate the result hypotension e heart block tinued to rise y unstable	t Clinic Hospit
The Prescriber requirements Nurse Visits Spector to provid DPI, inclu A CALCIU Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo Patient hy Adverse e Disease co Other: PRESCR	per treatment session, more than 1 cartridge will be needed per session: pecially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ts cality Pharmacy home healthcare RN visit cide ducation on self-administration of Tyvaso or Tyvaso cluding dose, titration, and side effect management. UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: nas depressed cardiac output Patient is hemodynamically unstable or has a history of postural as systemic hypotension Patient did not meet ACCP Guidelines for Vasodilator Response has known hypersensitivity Patient has documented bradycardia or second- or third-degree lowing Calcium Channel Blocker was trialed: Ilowing response(s): nypersensitive or allergic Patient remained symptomatic RIBER SIGNATURE: PRESCRIPTION AND STATEMENT OF MEDICAL NECESSITY if that the pulmonary arterial hypertension therapy ordered above is medically necessary and that I am personally supervising the	Home Outpatien Alanguage, etc. Non-compliant healthcare RN visit(s) as hypotension e heart block tinued to rise y unstable	t Clinic Hospit
The Prescriber requirements Nurse Visits DPI, inclu CALCIU Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo With the follo Disease co Other: Adverse e Disease co Other: PRESCR	per treatment session, more than 1 cartridge will be needed per session: specialty Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ts could result in outreach to the Prescriber. ter deducation on self-administration of Tyvaso Prescriber directed Specialty Pharmacy home leaducation goes, titration, and side effect management. UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) tate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: nas depressed cardiac output Patient is hemodynamically unstable or has a history of postural mas systemic hypotension Patient bac documented bradycardia or second- or third-degreed Ibwing Response(s): may ersensitive or allergic Patient secome hemodynamically Ibwing response(s): may ersensitive or patient remained symptomatic <t< td=""><td>Home Outpatien Alanguage, etc. Non-compliant healthcare RN visit(s) as hypotension e heart block tinued to rise y unstable</td><td>t Clinic Hospit</td></t<>	Home Outpatien Alanguage, etc. Non-compliant healthcare RN visit(s) as hypotension e heart block tinued to rise y unstable	t Clinic Hospit
The Prescriber requirements Nurse Visits Definition Definition Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo Disease co Other: Adverse e Disease co Other: Encertif PHYS SIGN	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax to could result in outreach to the Prescriber. ts Image: Course of the course of the course of the prescription of Tyvaso or Tyvaso or Tyvaso cluding dose, titration, and side effect management. UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) tate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: mas depressed cardiac output Patient is hemodynamically unstable or has a history of postural has systemic hypotension mas known hypersensitivity Patient has documented bradycardia or second- or third-degree went lowing Calcium Channel Blocker was trialed: llowing response(s): nypersensitive or allergic continued to progress or patient remained symptomatic continued to progress or patient remained symptomatic right that the pulmonary arterial hypertension therapy ordered above is medically necessary and that I am personally supervising th	Home Outpatien Alanguage, etc. Non-compliant healthcare RN visit(s) as hypotension e heart block tinued to rise y unstable	t Clinic Hospit
The Prescriber requirements Nurse Visits Definition Definition Please indica A Calcium C Patient ha Patient ha Other: OR The follo With the follo Disease co Other: Adverse e Disease co Other: PRESCR Icertif PHYS SIGN HERE Physic	per treatment session, more than 1 cartridge will be needed per session: Specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS NN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax ter could result in outreach to the Prescriber. ter excluding dose, titration, and side effect management. UN CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) cate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: as depressed cardiac output	Home Outpatien Clanguage, etc. Non-compliant healthcare RN visit(s) as py and indicate the result hypotension heart block tinued to rise y unstable care of this patient.	t Clinic Hospit
requirements Nurse Visits Nurse Visits Durse Visits Surse Visits Durse Visits Durse Visits Durse Visits Durse Visits Comparison Durse Indica Durse Comparison D	per treatment session, more than 1 cartridge will be needed per session: specially Pharmacy to contact prescribing practitioner for adjustments to the written orders specified above. ORDERS RN visit to provide assessment and education on administration, dosing, and titration. Location: ter is to comply with their state-specific prescription requirements, such as e-prescribing, state-specific prescription form, fax to could result in outreach to the Prescriber. ts Image: Course of the course of the course of the prescription of Tyvaso or Tyvaso or Tyvaso cluding dose, titration, and side effect management. UM CHANNEL BLOCKER STATEMENT (Not required for PH-ILD patients) tate below if the Patient named above was trialed on a Calcium Channel Blocker prior to the initiation of thera Channel Blocker was not trialed because: mas depressed cardiac output Patient is hemodynamically unstable or has a history of postural has systemic hypotension mas known hypersensitivity Patient has documented bradycardia or second- or third-degree went lowing Calcium Channel Blocker was trialed: llowing response(s): nypersensitive or allergic continued to progress or patient remained symptomatic continued to progress or patient remained symptomatic right that the pulmonary arterial hypertension therapy ordered above is medically necessary and that I am personally supervising th	Home Outpatien Clanguage, etc. Non-compliant healthcare RN visit(s) as py and indicate the result hypotension heart block tinued to rise y unstable care of this patient.	t Clinic Hospit



Patient Name:

Date of Birth:

5 OPTIONAL SIDE EFFECT MANAGEMENT

By providing your side effect management strategies, SPS will be able to follow up with the patient should they experience side effects. Include directions to SPS for dosing in Step 3 of this form.

*INFORMATION PROVIDED BELOW IS NOT A PRESCRIPTION; RATHER, IF ADDITIONAL PRESCRIPTIONS ARE INTENDED, THEY SHOULD BE PROVIDED TO THE PATIENT SEPARATELY.

Headache: 🗌 Acetaminophen _____ mg _____ Frequency 🔲 Opioids (separate Rx required) 🔲 Tramadol (separate Rx required)

NSAIDs (separate Rx may be required)

Nausea/Vomiting: Ondansetron (separate Rx required) Metoclopramide (separate Rx required) PPIs (separate Rx may be required) Prochlorperazine (separate Rx required) Promethazine (separate Rx required)

Remind patient to hold the device level and swish & spit after each treatment session

Throat Irritation: Oral phenol-based analgesic sprays Review medication administration technique

Other

Cough: Albuterol (separate Rx required) Benzonatate (separate Rx required) Cough suppressant (separate Rx may be required)
Oral phenol-based analgesic sprays Lozenges (note: not to be used during treatment session) Inhaled anticholinergics (separate Rx required)
Inhaled steroids (separate Rx required) Other

Diarrhea: Doperamide (separate Rx required) Other

Additional Instructions:

Provide any additional instructions for SPS on preferred communication or managing other side effects.

6 PATIENT CONSENT

Enrolling in United Therapeutics Cares. By submitting this form, I am enrolling in **United Therapeutics Cares** and I authorize United Therapeutics Corporation, its affiliated companies, vendors, agents, and representatives (collectively, "United Therapeutics") to provide me services through United Therapeutics Cares. Such services, as described on Page 1, include: **(1)** Access and Affordability Support, through which United Therapeutics Cares will provide support to educate patients and caregivers on their insurance coverage, answer access-related questions, and discuss financial assistance eligibility and enrollment options; **(2)** Product Education, through which United Therapeutics Cares offers a dedicated point of contact, who provides disease and product education support to patients and their caregivers; **(3)** Coordination, through which United Therapeutics Cares offers a dedicated point of contact who works with patients and their caregivers, specialty pharmacies and healthcare providers to help reduce non-clinical barriers to therapy, including conducting prescription triage, coordinating delivery, and checking in with patients on an ongoing basis post therapy initiation; and **(4)** United Therapeutics Cares Patient Assistance Program, which offers a free medication program for uninsured and underinsured patients who meet eligibility requirements (the "Services").

Verification of Eligibility. To the extent I am enrolling in the United Therapeutics Cares Patient Assistance Program, I authorize United Therapeutics to verify my eligibility for the Patient Assistance Program, and I understand that such verification may include contacting me or my healthcare provider for additional information and/or reviewing additional insurance, medical information and/or financial information. I understand that eligibility for participation will be verified periodically.

CHECK HERE

By checking this box, I am providing written instructions authorizing United Therapeutics Cares, United Therapeutics and their vendors, under the Fair Credit Reporting Act to obtain information about my credit profile or other information from credit reporting agencies or public or other sources. I authorize United Therapeutics Cares to obtain such information solely to determine eligibility for enrollment in the United Therapeutics Cares Patient Assistance Program. I understand that such reports may contain information about my income, credit standing, credit worthiness, credit capacity, character or personal characteristics. I understand that, upon request, United Therapeutics will tell me whether an individual consumer report was requested and the name and address of the agency that furnished it. Enrollment and continuation in the United Therapeutics Cares Patient Assistance Program are conditioned upon timely verification of income.

Conditions of Participation. If I receive free drugs under the United Therapeutics Cares Patient Assistance Program, I certify that I will not seek payment for the United Therapeutics product from any government-funded healthcare program (Medicare/Medicaid/Veterans Administration/Department of Defense), and that I will not submit any costs paid by United Therapeutics Cares as a claim for payment to a health plan, foundation, flexible spending account, or healthcare savings account. I agree to notify United Therapeutics Cares if my insurance or financial situation changes. I certify that any information, including financial and insurance information I provide, is complete and true. I understand that United Therapeutics Cares may be changed or discontinued without notice.

Use of Personal Information. I understand through my submission of this Patient Enrollment and Referral Form, I consent to the collection, use and disclosure of my personal health data, contact information and other identifying information by United Therapeutics for provision of the Services and for other business purposes, as described in the United Therapeutics Privacy Statement, available at: **www.unither.com/privacy**. Depending on where I live, I may have certain rights with respect to the privacy of my information, including the request to access or delete my personal information, as described in the United Therapeutics Privacy Statement. If you are a California resident, please see our CCPA Notice at Collection provided within the United Therapeutics Privacy Statement. I am aware that United Therapeutics may not be required to fulfill my requests in certain circumstances. I understand that to exercise these rights, I may contact United Therapeutics at 844-864-8437 or privacyoffice@unither.com.

(continued on the next page)





Communications. By checking the box(es) below, I hereby provide my consent to receive certain communications from United Therapeutics and its agents (including service providers on its behalf) by mail, fax, email, telephone (including cell phone) and text message. I understand and acknowledge that my personal information, including health information, may be used or disclosed as part of the communications. Communications transmitted via unencrypted email or text message over an open network may be inherently unsecure, and there is no assurance of confidentiality for information communicated in this manner.

UNITED THERAPEUTICS CARES TEXT COMMUNICATIONS AUTHORIZATION

Yes, I consent to receive automated text messages from "United Therapeutics Cares" at the mobile phone number I have provided. Message and data rates may apply. Message frequency varies. I understand I am not required to consent to receive text messages to participate in United Therapeutics Cares, to purchase any goods or services, or to receive any other communications I have selected. I can reply HELP for help. I can reply STOP to opt out at any time. I understand the processing of my information is subject to the United Therapeutics Privacy Statement, www.unither.com/privacy, and Text Message Terms and Conditions, www.unither.com/textterms.

MARKETING AUTHORIZATION

Yes, I consent to receive communications by mail, email, and telephone (including cell phone), including through automated technologies, at the number and address I have provided from United Therapeutics regarding its products, programs, services, disease state materials, educational and adherence materials, promotions, research and surveys, and other research opportunities. I understand the processing of my information is subject to the United Therapeutics Privacy Statement, www.unither.com/privacy.

Additional Information. Additional information on United Therapeutics Cares can be found on our website at www.UnitedTherapeuticsCares.com. If you have questions, want to update your information, or terminate your enrollment, please call 844-864-8437 Monday–Friday, 8:30 am–7:00 pm ET or write to us at P.O. Box 12015 Research Triangle Park, NC 27709.

6 PATIENT CONSENT SIGNATURE

Patient Name (Print): _

Patient or Representative Signature:

Representative relationship to patient if patient cannot sign: _____

7 PATIENT AUTHORIZATION TO SHARE HEALTH INFORMATION

United Therapeutics Corporation ("United Therapeutics") offers United Therapeutics Cares, which provides patient support services including educational resources, case management support, and financial assistance for eligible patients. By signing below, I give my permission for my healthcare providers, health plans, pharmacies, and other healthcare service providers ("My Healthcare Providers") to share with United Therapeutics, its present and future affiliates, vendors, and other companies, entities, and individuals working with and on behalf of United Therapeutics, personal information relating to my medical condition, prescriptions, treatment and health insurance information ("My Information") so that United Therapeutics may: **1**) review my eligibility for benefits for treatment with a United Therapeutics product; **2**) obtain information on insurance coverage for my treatment; **3**) access my credit information and information from other sources to estimate my income, if needed, to assess eligibility for financial assistance programs; **4**) facilitate and manage United Therapeutics Cares; **5**) coordinate treatment logistics with My Healthcare Providers; **6**) de-identify My Information and combine it with other de-identified data for purposes of research, process and program improvement, and publication; and **7**) communicate with me by telephone (including cell phone), text message, email, mail or fax regarding United Therapeutics Cares, United Therapeutics medications, products or services for the purposes set forth below, if I provide my consent.

I understand that once My Information has been disclosed to United Therapeutics pursuant to this Authorization, it may no longer be protected by federal and state privacy laws from further disclosure. I also understand however that United Therapeutics intends to use and disclose My Information only for purposes stated in this Authorization or as required by law. I understand that my pharmacy and health insurers may receive remuneration (payment) from United Therapeutics in exchange for sharing My Information with United Therapeutics to facilitate the patient support programs and other purposes described in this Authorization. I understand that My Information is also subject to the United Therapeutics Privacy Statement available at **www.unither.com/privacy**. I understand that I may refuse to sign this Authorization, and that refusing will not affect my treatment, insurance enrollment, or eligibility for insurance benefits, but it will make me ineligible to participate in United Therapeutics' support programs. If I do sign, I may cancel this Authorization at any time by mailing a letter to: United Therapeutics Cares, P.O. Box 12015 Research Triangle Park, NC 27709 or by emailing opt-out@unitedtherapeutics/ receipt of my notice of cancellation. Authorization will not invalidate reliance on this Authorization to use or disclose My Information prior to United Therapeutics' receipt of my notice of cancellation. This Authorization expires ten (10) years from the date next to my signature, unless I revoke it sooner, or unless a shorter timeframe is required by applicable law. I understand I have a right to receive a copy of this Authorization after it is signed.

7 PATIENT AUTHORIZATION SIGNATURE


Patient Name (Print): ___

_____ Date: _____

Date:

Patient or Representative Signature: ____

Representative relationship to patient if patient cannot sign: _





Fax the completed referral form and documentation to United Therapeutics Cares or the Specialty Pharmacy of your choice below.

Date:	Patient Initials:	Patient Date of Bi	rth:
Fa	nited Therapeutics Cares ax: 1-800-380-5294 none: 1-844-864-8437	Fax: 1-800-711-3526	Fax: 1-877-943-1000
From: (Name of agent of p	rescriber who transmitted the facsimile	e/prescription)	
Escility Name:			
Included in this fax:			
Completed Tyvasc	and Tyvaso DPI Therapy Ro	eferral Form including	
Step 3 - PrescriberStep 4 - Prescriptic	Information, Medical Information/Patie	ncluding front and back copies of medical and p ent Evaluation/Supporting Documentation, and ocker Statement (CCB Statement not required fo	Treatment History and Transition Stat

Included signed and dated documents

- Right Heart Catheterization Results
- History and Physical (including Onset of Symptoms, PAH or PH associated with ILD Clinical Signs and Symptoms, Course of Illness)
- Need for Specific Drug Therapy and 6-minute walk test results (6-minute walk test not required for PH-ILD)
- Echocardiogram Results (not required for PH-ILD patients)
- High-Resolution CT Scan (not required for PAH patients)

Number of Pages: _

Additional Comments:

Prescriber's Preferred Specialty Pharmacy - To be used if patient's payer does not mandate a particular Specialty Pharmacy be used: Accredo Health Group, Inc. CVS Specialty

US-TYV-0916

Tyvaso and Tyvaso DPI are registered trademarks of United Therapeutics Corporation. United Therapeutics Cares[™] is a trademark of United Therapeutics Corporation. All other brands are trademarks of their respective owners. The makers of these brands are not affiliated with and do not endorse United Therapeutics or its products. © 2024 United Therapeutics Corporation. All rights reserved. US-TYV-0916 Tyvaso and Tyvaso DPI Digital and Print Referral Form Printed in the USA.

