Remicade/Remicade Biosimilars Enrollment Form

CVS specialty®

Fax Referral To: 1-866-843-3221 **Phone:** 1-866-899-1661
Email Referral To: DL-NCCNEWREFERRAL@coramhc.com

Coram® CVS specialty infusion services

Six Simple Steps to Submitting a Referral

1 PATIENT INFORMATION *(Complete or include demographic sheet)*

Patient Name: _____ DOB: _____
Address: _____City, State, ZIP Code: _____
Gender: ☐ Male ☐ Female
Preferred Contact Methods: ☐ Phone (to primary # provided below) ☐ Text (to cell # provided below) ☐ Email (to email provided below)
Note: Carrier charges may apply. If unable to contact via text or email, Specialty Pharmacy will attempt to contact by phone.
Primary Phone: _____ Alternate Phone: _____
Email: _____ Last Four of SSN: _____ Primary Language: _____
If **Minor**, Parent/Caregiver/Guardian Name (Last, First): _____ **Relationship to minor**: _____

2 PRESCRIBER INFORMATION

Prescriber's Name: _____ State License #: _____
NPI #: _____ DEA #: _____ Group or Hospital: _____
Address: _____ City, State, ZIP Code: _____
Phone: _____ Fax_____ Contact Person: _____ Contact's Phone: _____

3 INSURANCE INFORMATION Please fax copy of prescription and insurance cards with this form, if available (front and back)

Insurance Company: _____ ID#: _____

4 DIAGNOSIS AND CLINICAL INFORMATION

Diagnosis (ICD-10):

☐ K50.00 Crohn's disease (CD) of the small intestine
☐ L40.0 Plaque psoriasis (PsO)
☐ M06.9 Rheumatoid arthritis (RA)
☐ Other Code: _____ Description _____
☐ K51.90 Ulcerative colitis (UC)
☐ L40.50 Arthropathic psoriasis (PsA)
☐ M45.9 Ankylosing spondylitis (AS)

Allergies:_____ ☐ NKDA Weight:_____ ☐ lb ☐ kg Height:_____ ☐ in ☐ cm
Prior therapy, treatment dates, and reason(s) for discontinuation_____
Treatment status: ☐ New to therapy ☐ Continuation of therapy; Date of last treatment ___/__/____ Needs by Date: _____

Nursing and Administration:

Specialty pharmacy to coordinate home health Infusion nurse visit as necessary? ☐ Yes ☐ No
Site of Care: ☐ Home Infusion* ☐ Coram Ambulatory Infusion Suite (AIS)* ☐ Prescriber's Office** ☐ Other Infusion Clinic
First three doses to be given in controlled setting.
*Home Infusion/Coram AIS: Diluents, Flushes, Supplies, Nursing Services for drug administration/therapy teach train.
**Prescriber's Office/Other Infusion Clinic: Drug only for facility administration

Remicade/Remicade Biosimilars Enrollment Form

Please Complete Patient, Prescriber and Patient Clinical Information

Patient Name: _____ Patient DOB: _____

Prescriber Name: _____ Prescriber Phone: _____

Patient Clinical Information:

Allergies:_____ ☐ NKDA Weight:_____ ☐ lb ☐ kg Height:_____ ☐ in ☐ cm

Prior therapy, treatment dates, and reason(s) for discontinuation_____

Treatment status: ☐ New to therapy ☐ Continuation of therapy; Date of last treatment ___/__/____ Needs by Date: _____

5 PRESCRIPTION INFORMATION Ship to: ☐ Patient ☐ Office ☐ Other: _____

MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
☐ Avsola ☐ Inflectra ☐ Infliximab ☐ Remicade ☐ Renflexis	100 mg vial	☐ AS Induction Dose: Infuse IV at 5 mg/kg (Dose = ____mg) at weeks 0, 2, 6 and every 6 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		☐ AS Maintenance Dose: Infuse IV at 5 mg/kg (Dose = ___mg) every 6 weeks	Quantity: ____ (# of vials) Refills: _____
		☐ CD (Adult and Pediatric ≥ 6 years old) Induction Dose: Infuse IV at 5 mg/kg (Dose = _____mg) at weeks 0, 2, 6 and every 8 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		☐ CD (Adult) Maintenance Dose: Infuse IV at 5-10 mg/kg (Dose = _____mg) every 8 weeks	Quantity: ____ (# of vials) Refills: _____
		☐ CD (Pediatric ≥ 6 years old) Maintenance Dose: Infuse IV at 5 mg/kg (Dose = _____mg) every 8 weeks	Quantity: ____ (# of vials) Refills: _____
		☐ PsO/PsA Induction Dose: Infuse IV at 5 mg/kg (Dose = _____mg) at weeks 0, 2, 6 and every 8 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		☐ PsO/PsA Maintenance Dose: Infuse IV at 5 mg/kg (Dose = _____mg) every 8 weeks	Quantity: ____ (# of vials) Refills: _____
		☐ RA Induction Dose: Infuse IV at 3 mg/kg (Dose = _____mg) at weeks 0, 2, 6 and every 8 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		☐ RA Maintenance Dose: Infuse IV at 3-10 mg/kg (Dose = _____mg) every 4, 6 or 8 weeks (circle one)	Quantity: ____ (# of vials) Refills: _____
		☐ UC (Adult and Pediatric ≥ 6 years old) Induction Dose: Infuse IV at 5 mg/kg (Dose = _____mg) at weeks 0, 2, 6 and every 8 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		☐ UC (Adult and Pediatric ≥ 6 years old) Maintenance Dose: Infuse IV at 5 mg/kg (Dose = _____mg) every 8 weeks	Quantity: ____ (# of vials) Refills: _____
Other: _____	_____ _____ _____	_____ _____ _____	Quantity: ____ (# of vials) Refills: _____

Remicade/Remicade Biosimilars Enrollment Form Nursing Orders

Please Complete Patient, Prescriber and Patient Clinical Information

Patient Name: _____ Patient DOB: _____

Prescriber Name: _____ Prescriber Phone: _____

5 PRESCRIPTION INFORMATION **ITEMS BELOW THIS LINE WILL ONLY BE SENT FOR INFUSIONS DONE AT HOME/CORAM AIS**

MEDICATION/SUPPLIES	ROUTE	DOSE /STRENGTH/ DIRECTIONS	QUANTITY/REFILLS
Catheter: ☐ PIV ☐ PORT ☐ PICC ☐ CVL	IV	Catheter Care/Flush – Only on drug admin days – SASH or PRN to maintain IV access and patency ☐ PIV – NS 5 mL (Heparin 10 units/mL 3-5 mL if multiple days) ☐ PORT/CVL - NS 10 mL & Heparin 100 units/mL 3-5 mL and 10 mL sterile saline to access port a cath ☐ PICC - NS 10 mL & Heparin 10 units/mL 3-5 ML	Quantity: _____ Refills: _____
Hydration: ☐ NS ☐ D5W	IV	Pre: 500 mL 1000 mL Other: _____ Concurrent: 500 mL 1000 mL Other: _____ (Not to be infused using the same access as Ig) Post: 500 mL 1000 mL Other: _____	Hydration max infusion rate _____ mL/hr (Adult max rate 250 mL/hr unless otherwise indicated)
☐ *Epinephrine* ***nursing required***	☐ IM ☐ SC	☐ Adult 1:1000, 0.3 mL (>30 kg/>66 lbs) ☐ Peds 1:2000, 0.3 mL (15-30 kg/33-66 lbs) ☐ Infant 0.1 mL/0.1 mL, 0.1 mL (7.5-15 kg/16.5-33 lbs) PRN severe allergic reaction – Call 911 May repeat in 5-15 minutes as needed	Quantity: _____ Refills: _____
☐ Diphenhydramine Oral	PO	Premedication: ☐ 12.5 mg/kg (0-30 kg) ☐ 25 mg ☐ 50 mg (Over 30 kg)	Quantity: _____ Refills: _____
☐ Diphenhydramine 50 mg/mL vial ***nursing required***	☐ Slow IV ☐ IM	☐ 1 mg/kg (under 15 kg) ☐ 12.5-50 mg (15-30 kg) ☐ 25 mg 50 mg (Over 30 kg) May repeat in 3-5 minutes as needed (Max dose-50 mg) PRN severe allergic reaction – Call 911	Quantity: _____ Refills: _____
☐ Flush Orders:	☐ Peripheral Access ☐ Central Venus Access	☐ 10 mL NS post flush ☐ 50 mL NS post flush (recommended if no post-hydration) ☐ Other: _____	Send quantity sufficient for medication days supply
☐ Additional Medication: _____	_____ _____	_____ _____	_____ _____

☐ Patient is interested in patient support programs **STAMP SIGNATURE NOT ALLOWED** Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute **Prescriber's Signature: _____Date: _____**	May Substitute / Product Selection Permitted / Substitution Permissible **Prescriber's Signature: _____Date: _____**

CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "**No Substitution**" _____ **ATTN: New York and Iowa providers,** please submit electronic prescription

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.