

Remicade/Remicade Biosimilars Enrollment Form



Fax Referral To: 1-866-843-3221

Phone: 1-866-899-1661

Email Referral To: DL-NCCNEWREFERRAL@cvshealth.com



Six Simple Steps to Submitting a Referral

1 PATIENT INFORMATION *(Complete or include demographic sheet)*

Patient Name: _____ DOB: _____ Gender: ☐ Male ☐ Female

Address: _____ City, State, ZIP Code: _____

Preferred Contact Methods: ☐ Phone (to primary # provided below) ☐ Text (to cell # provided below) ☐ Email (to email provided below)

Note: Carrier charges may apply. By providing the phone number(s) and email address above, you are consenting to receive automated calls, emails and/or text messages from CVS Specialty® about your prescription(s), account, and health care. Standard data rates apply. Message frequency varies. If unable to contact via text or email, Specialty Pharmacy will attempt to contact by phone.

Primary Phone: _____ Alternate Phone: _____

Email: _____ Last Four of SSN: _____ Primary Language: _____

Parent/Caregiver/Legal Guardian Name (Last, First): _____ Relationship to patient: _____

2 PRESCRIBER INFORMATION

Prescriber's Name: _____ State License #: _____

NPI #: _____ DEA #: _____ Group or Hospital: _____

Address: _____ City, State, ZIP Code: _____

Phone: _____ Fax: _____ Contact Person: _____ Contact's Phone: _____

3 INSURANCE INFORMATION Please fax copy of prescription and insurance cards with this form, if available (front and back)

Is the Patient Insured? ☐ Yes ☐ No Is the Patient enrolled or eligible for Medicare/Medicaid? ☐ Yes ☐ No

Policy Holder's Name: _____ Policy Holder's DOB: _____ Relationship to Patient: _____

Medical Insurance: _____ Telephone: _____ Policy ID: _____ Group #: _____

Prescription Insurance: _____ Prescription Plan Telephone: _____

Policy ID: _____ Group #: _____ RX BIN #: _____ RX PCN #: _____

☐ Check box if patient is enrolled in manufacturer copay assistance If yes, please provide ID# _____

4 DIAGNOSIS AND CLINICAL INFORMATION

Diagnosis (ICD-10):

☐ K50.00 Crohn's disease (CD) of the small intestine

☐ K51.90 Ulcerative colitis (UC)

☐ L40.0 Plaque psoriasis (PsO)

☐ L40.50 Arthropathic psoriasis (PsA)

☐ M06.9 Rheumatoid arthritis (RA)

☐ M45.9 Ankylosing spondylitis (AS)

☐ Other Code: _____ Description: _____

Allergies: _____ ☐ NKDA Weight: _____ ☐ lb ☐ kg Height: _____ ☐ in ☐ cm

Prior therapy, treatment dates, and reason(s) for discontinuation: _____

Treatment status: ☐ New to therapy ☐ Continuation of therapy; date of last treatment ____/____/____ Needs by date: _____

Nursing and Administration:

First dose administration of monoclonal antibodies (mABs) should be administered in a controlled setting (may vary depending upon medication specific policy).

For Remicade/Remicade Biosimilars, the first dose must be administered in a controlled setting.

Specialty pharmacy to coordinate home health Infusion nurse visit as necessary? ☐ Yes ☐ No

Site of Care: ☐ Home Infusion* ☐ Coram Ambulatory Infusion Suite (AIS)* ☐ Prescriber's Office** ☐ Other Infusion Clinic

*Home Infusion/Coram AIS: Diluents, Flushes, Supplies, Nursing Services for drug administration/therapy teach train.

**Prescriber's Office/Other Infusion Clinic: Drug only for facility administration

Remicade/Remicade Biosimilars Enrollment Form

Please Complete Patient, Prescriber and Patient Clinical Information

Patient Name: _____ Patient DOB: _____ Patient Phone: _____

Patient Address: _____

Prescriber Name: _____ Prescriber Phone: _____

Patient Clinical Information:

Allergies: _____ ☐ NKDA Weight: _____ ☐ lb ☐ kg Height: _____ ☐ in ☐ cm

Prior therapy, treatment dates, and reason(s) for discontinuation: _____

Treatment status: ☐ New to therapy ☐ Continuation of therapy; date of last treatment ____/____/____ Needs by date: _____

5 PRESCRIPTION INFORMATION Ship to: ☐ Patient ☐ Office ☐ Other: _____

MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
<input type="checkbox"/> Avsola <input type="checkbox"/> Inflectra <input type="checkbox"/> Infliximab <input type="checkbox"/> Remicade <input type="checkbox"/> Renflexis	100 mg vial	<input type="checkbox"/> AS Induction Dose: Infuse IV at 5 mg/kg (Dose = ____mg) at weeks 0, 2, 6 and every 6 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		<input type="checkbox"/> AS Maintenance Dose: Infuse IV at 5 mg/kg (Dose = ____mg) every 6 weeks	Quantity: ____ (# of vials) Refills: _____
		<input type="checkbox"/> CD (Adult and Pediatric ≥ 6 years old) Induction Dose: Infuse IV at 5 mg/kg (Dose = ____mg) at weeks 0, 2, 6 and every 8 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		<input type="checkbox"/> CD (Adult) Maintenance Dose: Infuse IV at 5-10 mg/kg (Dose = ____mg) every 8 weeks	Quantity: ____ (# of vials) Refills: _____
		<input type="checkbox"/> CD (Pediatric ≥ 6 years old) Maintenance Dose: Infuse IV at 5 mg/kg (Dose = ____mg) every 8 weeks	Quantity: ____ (# of vials) Refills: _____
		<input type="checkbox"/> PsO/PsA Induction Dose: Infuse IV at 5 mg/kg (Dose = ____mg) at weeks 0, 2, 6 and every 8 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		<input type="checkbox"/> PsO/PsA Maintenance Dose: Infuse IV at 5 mg/kg (Dose = ____mg) every 8 weeks	Quantity: ____ (# of vials) Refills: _____
		<input type="checkbox"/> RA Induction Dose: Infuse IV at 3 mg/kg (Dose = ____mg) at weeks 0, 2, 6 and every 8 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		<input type="checkbox"/> RA Maintenance Dose: Infuse IV at 3-10 mg/kg (Dose = ____mg) every 4, 6 or 8 weeks (circle one)	Quantity: ____ (# of vials) Refills: _____
		<input type="checkbox"/> UC (Adult and Pediatric ≥ 6 years old) Induction Dose: Infuse IV at 5 mg/kg (Dose = ____mg) at weeks 0, 2, 6 and every 8 weeks thereafter	Quantity: ____ (# of vials) Refills: 0
		<input type="checkbox"/> UC (Adult and Pediatric ≥ 6 years old) Maintenance Dose: Infuse IV at 5 mg/kg (Dose = ____mg) every 8 weeks	Quantity: ____ (# of vials) Refills: _____
Other: _____	_____	_____	Quantity: ____ (# of vials) Refills: _____

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature: _____ Date: _____	May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature: _____ Date: _____
CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" _____ ATTN: New York and Iowa providers, please submit electronic prescription	

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Remicade/Remicade Biosimilars Enrollment Form Nursing Orders

Please Complete Patient, Prescriber and Patient Clinical Information

Patient Name: _____ Patient DOB: _____ Patient Phone: _____
 Patient Address: _____
 Prescriber Name: _____ Prescriber Phone: _____

5 PRESCRIPTION INFORMATION **ITEMS BELOW THIS LINE WILL ONLY BE SENT FOR INFUSIONS DONE AT HOME/CORAM AIS**

MEDICATION/SUPPLIES	ROUTE	DOSE /STRENGTH/ DIRECTIONS	QUANTITY/REFILLS
Catheter: <input type="checkbox"/> PIV <input type="checkbox"/> PORT <input type="checkbox"/> CVC/PICC	IV	Catheter Care/Flush – Only on drug admin days – SASH or PRN to maintain IV access and patency PIV: NS 5 mL (Heparin 10 units/mL 3-5 mL if multiple days) CVC/PICC: NS 10 mL & <input type="checkbox"/> Heparin 10 units/mL or <input type="checkbox"/> 100 units/mL 3-5 mL. PORT: 10 mL sterile saline to access PORT w/ huber needle NS 10 mL & Heparin 100 units/mL 3-5mL.	Quantity: _____ Refills: _____
Hydration: <input type="checkbox"/> NS <input type="checkbox"/> D5W	IV	Pre: <input type="checkbox"/> 500 mL <input type="checkbox"/> 1000 mL <input type="checkbox"/> Other: _____ Concurrent: <input type="checkbox"/> 500 mL <input type="checkbox"/> 1000 mL <input type="checkbox"/> Other: _____ Post: <input type="checkbox"/> 500 mL <input type="checkbox"/> 1000 mL <input type="checkbox"/> Other: _____	Hydration max infusion rate _____ mL/hr (Adult max rate 250 mL/hr unless otherwise indicated)
<input type="checkbox"/> Epinephrine <i>**nursing requires**</i>	<input type="checkbox"/> IM <input type="checkbox"/> SC	<input type="checkbox"/> 1:1000, 0.3mg/0.3 mL (greater than 30 kg/66 lbs) <input type="checkbox"/> 1:2000, 0.15mg/0.3 mL (15-30 kg/33-66 lbs) <input type="checkbox"/> 1:1000, 0.1 mg/kg, Max 0.3mg (under 15kg) Mild-Moderate Reactions. May repeat in 3-5 minutes as needed for severe allergic reaction, also call 911	Quantity: _____ Refills: _____
<input type="checkbox"/> Diphenhydramine Oral	PO	Premedication: <input type="checkbox"/> 12.5 mg/kg (0-30 kg) <input type="checkbox"/> 25 mg <input type="checkbox"/> 50 mg (Over 30 kg)	Quantity: _____ Refills: _____
<input type="checkbox"/> Diphenhydramine 50 mg/mL vial <i>**nursing required**</i>	<input type="checkbox"/> Slow IV <input type="checkbox"/> IM	<input type="checkbox"/> 1 mg/kg (under 15 kg) <input type="checkbox"/> 12.5 mg-50 mg (15-30 kg) <input type="checkbox"/> 25 mg-50 mg (Over 30 kg) If mild/moderate reaction: may repeat in 3-5 minutes as needed (Adult max dose: 100 mg/day) If severe allergic reaction: call 911	Quantity: _____ Refills: _____
<input type="checkbox"/> Flush Orders:	<input type="checkbox"/> Peripheral Access <input type="checkbox"/> Central Venous Access	<input type="checkbox"/> 10 mL NS post flush <input type="checkbox"/> 50 mL NS post flush to clear medication from tubing (recommended if no post-hydration) <input type="checkbox"/> Other: _____	Send quantity sufficient for medication days supply
<input type="checkbox"/> Additional Medication: _____	_____ _____	_____ _____	_____ _____

☐ Patient is interested in patient support programs **STAMP SIGNATURE NOT ALLOWED** Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature: _____ Date: _____	May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature: _____ Date: _____
CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" _____ ATTN: New York and Iowa providers, please submit electronic prescription	

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments.

Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.