

Asthma Enrollment Form

Fax Referral To: 1-855-297-1270 Phone: 1-888-280-1190 Address: 6020 Ave Roberto Sanchez Vilella Carolina, PR 00982 NCPDP: 4026325

Datiant Nama	e or include demographic sheet)	
Patient Name:	DOB:	Gender: 🗌 Male 🔲 Female
Address:	City, State, Z	IP Code:
Note: Carrier charges may apply. By providing the ph from CVS Specialty® about your prescription(s), acco Specialty Pharmacy will attempt to contact by phone	primary # provided below) Text (to cell # prov hone number(s) and email address above, you are consen bunt, and health care. Standard data rates apply. Message e.	vided below) 🗌 Email (to email provided below) nting to receive automated calls, emails and/or text messages e frequency varies. If unable to contact via text or email,
		none:
		Primary Language:
Parent/Caregiver/Legal Guardian Name PRESCRIBER INFORMATION	(Last, First): Relations	hip to patient:
	State Licen	so #:
	Group or Hospital:	se #:
Address:	City_State_ZIP_Code	,
Phone: Fax	Contact Person:	:Contact's Phone:
		rds with this form, if available (front and back)
	s the Patient enrolled or eligible for Medicare	
		Relationship to Patient:
Medical Insurance:	Tolophono:	/ ID: Relationship to Fatient:
Prescription Insurance:	Prescriptic	on Plan Telenhone:
Policy ID:	Group #: BX BIN	on Plan Telephone: #: RX PCN #:
Check box if patient is enrolled in mar	ufacturer copay assistance. If yes please p	provide ID#
DIAGNOSIS AND CLINICAL INFO		
		Other:
Diagnosis (ICD-10):		outor:
J45.4 Moderate Persistent Asthma	J45.5 Severe Persist	tent Asthma
D72.119 Hypereosinophilic syndrome		Granulomatosis with Polyangiitis (EGPA)
	J33.1 Polypoid sinus degeneration	
	ation for dupilumab and omalizumab)	
T 1.1.5.5 9 Nasal Polyo Tinspecilieo unoica	•	
K20.0 Eosinophilic esophagitis (EoE)		
K20.0 Eosinophilic esophagitis (EoE)		
K20.0 Eosinophilic esophagitis (EoE) Other Code: Description Patient Clinical Information:		nt: in/cm laELevel:

MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
Cinqair (reslizumab)	100 mg/10 mL vial	Inject 3 mg/kg once every 4 weeks by IV infusion over 20 to 50 minutes Include sodium chloride and supplies sufficient for medication days supply IV administration/infusion set (0.2micron filter) IV cath Insyte auto guard or PIV insertion kit Ultrasyte needle-free connector (one per vial shipped) 30 mL syringe (one per vial shipped) 50 mL 0.9% NaCl 2 – 10 mL 0.9% NaCl flush Alcohol swabs	Quantity: vials 28-day supply 84-day supply day supply Refills: 1 year Other:
Patient is interested i	in patient support programs	STAMP SIGNATURE NOT ALLOWED Ancillary supplies and kits provided as	needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

"Dispense As Written" / Brand Medically Necessary / Do DAW / May Not Substitute Prescriber's Signature:	Not Substitute / No Substitution /Date:	May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature:	Date:
CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution"		ATTN: New York and Iowa provide	rs, please submit electronic prescription

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

... ᆂᆘ╸ .

	ete Patient and Prescrib	Patient DOB: Patient Phone:	
rescriber Name	7.	Prescriber Phone:	
	ON INFORMATION		
MEDICATION		DOSE & DIRECTIONS	QUANTITY/REFILLS
Dupixent (dupilumab)	PFS 100 mg/0.67 mL pre-filled syringe 200 mg/1.14 mL pre-filled syringe 300 mg/2 mL pre-filled syringe 200 mg/1.14 mL pre-filled syringe 9200 mg/1.14 mL pre-filled pen 300 mg/2 mL pre-filled pen 300 mg/2 mL pre-filled pen *Comes in cartons of 2	Asthma: Pediatric 15 to <30 kg:	Quantity: Refills:
🗌 Fasenra (benralizumab)	PFS 10mg/0.5ml pre-filled syringe 30 mg/mL pre-filled syringe <u>Auto-injector</u> 30 mg/mL Pen	Severe Asthma Administer 10 mg/0.5 ml by subcutaneous injection every 4 weeks for the first 3 doses, followed by injection once every 8 weeks thereafter Administer 30 mg/mL by subcutaneous injection every 4 weeks for the first 3 doses, followed by injection once every 8 weeks thereafter Other: Administer	☐ 3 PFS/Pen Refills: ☐ 1 year ☐ Other:

"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / May Substitute / Product Selection Permitted / DAW / May Not Substitute Substitution Permissible Prescriber's Signature: Date: _ Prescriber's Signature: __ ATTN: New York and Iowa providers, please submit electronic prescription

CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" _

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Date:

...

	Pleas	se Complete Patient and Prescriber Information	
		Prescriber Phone:	
	ON INFORMATION		
MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILL
☐ Nucala (mepolizumab)	Vial 100 mg vial PEN Auto-injector 100 mg/mL auto-injector PFS 100 mg/mL pre-filled syringe 40 mg/0.4 mL pre-filled syringe Homedown and the syringe PFS Pre-filled syringe Pre-filled syringe Pre-filled syringe	 Severe Asthma Adults & Adolescents 12 years and older: Inject 100 mg subcutaneously once every 4 weeks into the upper arm, thigh, or abdomen Pediatric (6-11 years old): Inject 40 mg subcutaneously once every 4 weeks into the upper arm, thigh, or abdomen Chronic Rhinosinusitis with Nasal Polyps: Inject 100 mg subcutaneously once every 4 weeks into the upparm, thigh, or abdomen Eosinophilic Granulomatosis with Polyagniitis (EGPA) Inject 300 mg as 3 separate 100 mg subcutaneous injections of every 4 weeks into the upper arm, thigh, or abdomen Hypereosinophilic Syndrome (HES) Inject 300 mg as 3 separate 100 mg subcutaneous injections of every 4 weeks into the upper arm, thigh, or abdomen Hypereosinophilic Syndrome (HES) Inject 300 mg as 3 separate 100 mg subcutaneous injections of every 4 weeks into the upper arm, thigh, or abdomen Hypereosinophilic Syndrome (HES) Inject 300 mg as 3 separate 100 mg subcutaneous injections of every 4 weeks into the upper arm, thigh, or abdomen Hypereosinophilic Syndrome (HES) Inject 300 mg as 3 separate 100 mg subcutaneous injections of every 4 weeks into the upper arm, thigh, or abdomen Hypereosinophilic Syndrome (HES) Include sterile water and supplies sufficient for medication day supply No supplies requested (supplies will be sent with shipment unlindicated) One 10 mL vial sterile water for injection for every vial of Nucal dispensed Alcohol swabs 3 mL Luer Lock injection syringe NDL 21G needle for reconstitution 1 mL polypropylene syringe with 21G to 27G x ½" needle for subcutaneous injection 	Quantity: 28-day supply 84-day supply day supply Refills: 0 Other: sess
☐ Tezspire (Tezepelumab)	☐ 210 mg/1.91 mL (110 mg/mL) pre-filled syringe PEN ☐ 210 mg/1.91 mL (110 mg/mL) pre-filled pen	Inject 210mg subcutaneously every 4 weeks	Quantity: 1 Refills: 1 Year

Prescriber's Signature:Date:Date:		Prescriber's Signature:	Date:
DAW / May Not Substitute		Substitution Permissible	
"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution /		May Substitute / Product Selection Permitte	ed /

CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" _ ATTN: New York and Iowa providers, please submit electronic prescription

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments.

Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.

Asthma Enrollment Form

		Asthma Enrollment Form	
	Plea	ase Complete Patient and Prescriber Information	
Patient Name:		Patient DOB: Patient Phone:	
atient Address:			
Prescriber Name	:	Prescriber Phone:	
PRESCRIPTIC	ON INFORMATION		
MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
☐ Xolair (omalizumab)	Vial ☐ 150 mg vial kit PFS ☐ 75 mg/0.5 mL pre-filled syringe ☐ 150 mg/1 mL pre-filled syringe ☐ 300 mg/2 mL pre-filled syringe Auto-injector ☐ 75 mg/0.5 mL ☐ 150 mg/mL ☐ 300 mg/2 mL	Every 4 weeks dosing: Administer 75 mg per dose subcutaneously every 4 weeks Administer 150 mg per dose subcutaneously every 4 weeks Administer 225 mg per dose subcutaneously every 4 weeks Administer 300 mg per dose subcutaneously every 4 weeks Other: Administer mg per dose subcutaneously every 4 weeks Other: Administer mg per dose subcutaneously every 2 weeks Administer 225 mg per dose subcutaneously every 2 weeks Administer 300 mg per dose subcutaneously every 2 weeks Administer 300 mg per dose subcutaneously every 2 weeks Administer 375 mg per dose subcutaneously every 2 weeks Other: Administer mg per dose subcutaneously every 2 weeks Other: Administer mg per dose subcutaneously every 2 weeks Other: Administer mg per dose subcutaneously every 2 weeks Other: Administer mg per dose subcutaneously every 2 weeks Differ to the total sterile mater and supplies sufficient for medication days supply Include sterile water and supplies sufficient for medication days supply No supplies requested (supplies will be sent with shipment unless indicated) • One 10 mL vial sterile water for injection for every vial of Xolair dispensed • Alcohol swabs • Flexible bandages 1" x 3" • 3 mL Luer Lock injection syringe • NDL 18	Quantity: 28-day supply 84-day supply day supply Refills: 1 year Other:

I certify that the rationale for Xolair therapy for Allergic Asthma is necessary for this patient and I will be supervising the patient's treatment accordingly.

Nursing Medications

PRESCRIPTION IN	FORMATION		
MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
Other:	Other:	Other:	Quantity: Refills:
EpiPen	Other:	Use as directed.	Quantity: 1 Refills:
EpiPen Jr.	Other:	Use as directed.	Quantity: 1 Refills:
Patient is interested in patie	ent support programs	STAMP SIGNATURE NOT ALLOWED	Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute		May Substitute / Product Selection Permitted / Substitution Permissible	
Prescriber's Signature:	Date:	Prescriber's Signature:	Date:

CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" ______ ATTN: New York and Iowa providers, please submit electronic prescription

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments. Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.