



Hemophilia Enrollment Form

Fax Referral To: 1-866-811-7450

Phone: 1-866-792-2731

Email Referral To: hemophiliaintaketeam@cvshealth.com



CVS specialty infusion services

Six Simple Steps to Submitting a Referral

1 PATIENT INFORMATION (Complete or include demographic sheet)

Patient Name: _____ DOB: _____ Gender: Male Female

Address: _____ City, State, ZIP Code: _____

Preferred Contact Methods: Phone (to primary # provided below) Text (to cell # provided below) Email (to email provided below)

Note: Carrier charges may apply. By providing the phone number(s) and email address above, you are consenting to receive automated calls, emails and/or text messages from CVS Specialty® about your prescription(s), account, and health care. Standard data rates apply. Message frequency varies. If unable to contact via text or email, Specialty Pharmacy will attempt to contact by phone.

Primary Phone: _____ Alternate Phone: _____

Email: _____ Last Four of SSN: _____ Primary Language: _____

Parent/Caregiver/Legal Guardian Name (Last, First): _____ Relationship to patient: _____

2 PRESCRIBER INFORMATION

Prescriber's Name: _____ State License #: _____

NPI #: _____ DEA #: _____ Group or Hospital: _____

Address: _____ City, State, ZIP Code: _____

Phone: _____ Fax: _____ Contact Person: _____ Contact's Phone: _____

3 INSURANCE INFORMATION Please fax copy of prescription and insurance cards with this form, if available (front and back)

4 DIAGNOSIS AND CLINICAL INFORMATION

Needs by Date: _____ Ship to: Patient Office Other: _____

Diagnosis (ICD-10):

- D66 Hereditary factor VIII deficiency
- D67 Hereditary factor IX deficiency
- D68.0 Von Willebrand's disease
- D68.311 Acquired hemophilia
- D68.318 Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors
- D68.8 Other specified coagulation defects
- D68.9 Coagulation defect, unspecified
- D68.2 Hereditary deficiency of other clotting factors
- Other Code: _____ Description: _____

Patient Clinical Information:

Allergies: _____ Height: _____ in/cm Weight: _____ lb/kg

Baseline Factor Level: _____

Nursing:

Specialty pharmacy to coordinate injection training/home health nurse visit as necessary? Yes No

Site of Care: MD office Infusion Clinic Outpatient Health Home Health

Injection training not necessary. Date training occurred: _____

Reason: MD office training patient Pt already independent Referred by MD to alternate trainer

5 PRESCRIPTION INFORMATION

| MEDICATION | STRENGTH | DOSE & DIRECTIONS | QUANTITY/REFILLS |
|--|-------------|---|---|
| <input type="checkbox"/> Advate <input type="checkbox"/> Hemofil-M <input type="checkbox"/> Rebinyn <input type="checkbox"/> Adynovate <input type="checkbox"/> Humate-P <input type="checkbox"/> Recombinate <input type="checkbox"/> Afstyla <input type="checkbox"/> Idelvion <input type="checkbox"/> Rixubis <input type="checkbox"/> Alphanate <input type="checkbox"/> Ixinity <input type="checkbox"/> Thrombate III <input type="checkbox"/> AlphaNine <input type="checkbox"/> Jivi <input type="checkbox"/> Tretten <input type="checkbox"/> Alprolix <input type="checkbox"/> Koate-DVI <input type="checkbox"/> Vonvendi <input type="checkbox"/> BeneFIX <input type="checkbox"/> Kovaltry <input type="checkbox"/> Wilate <input type="checkbox"/> Corifact <input type="checkbox"/> Novoeight <input type="checkbox"/> Xyntha <input type="checkbox"/> Ceprotin <input type="checkbox"/> Nuwiq <input type="checkbox"/> Eloctate <input type="checkbox"/> Obizur <input type="checkbox"/> Feiba NF <input type="checkbox"/> Profilnine | _____ IU/kg | <input type="checkbox"/> Prophylaxis: _____ <input type="checkbox"/> On demand treatment: Infuse _____ units (+/- 10%) slow IV push every _____ hours / days (circle one) for a total of _____ doses as needed for bleeding episodes. Contact your physician's office if bleeding does not resolve. <input type="checkbox"/> Minor Bleed: _____ IU IV q _____ hr PRN <input type="checkbox"/> Other: _____ <input type="checkbox"/> Major Bleed: _____ IU IV q _____ hr PRN <input type="checkbox"/> Other: _____ <input type="checkbox"/> Immune Tolerance: _____ Weight: _____ kg | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

| | |
|--|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature: _____ Date: _____ | May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature: _____ Date: _____ |
| CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" _____ ATTN: New York and Iowa providers, please submit electronic prescription | |

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Hemophilia Enrollment Form

Please Complete Patient and Prescriber Information

Patient Name: _____ Patient DOB: _____ Patient Phone: _____

Patient Address: _____

Prescriber Name: _____ Prescriber Phone: _____

5 PRESCRIPTION INFORMATION

| MEDICATION | STRENGTH | DOSE & DIRECTIONS | QUANTITY/REFILLS |
|-----------------------------------|---|--|---|
| <input type="checkbox"/> Alhemo | <input type="checkbox"/> 60 mg/1.5mL PEN <input type="checkbox"/> 150 mg/1.5mL PEN | <input type="checkbox"/> Loading Dose: Inject ____ subcutaneously once on Day 1, followed by ____ mg subcutaneously once daily until individualization of maintenance dose. <input type="checkbox"/> Maintenance dose: Inject ____ mg subcutaneously once daily. | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Amicar | <input type="checkbox"/> Tablet 500 mg <input type="checkbox"/> Tablet 1,000 mg <input type="checkbox"/> Syrup 25% | <input type="checkbox"/> Other: _____ | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Altuviio | <input type="checkbox"/> 50 IU/kg <input type="checkbox"/> ____ IU/kg | <input type="checkbox"/> Prophylaxis: 50 IU/kg IV once weekly <input type="checkbox"/> On demand treatment: 50 IU/kg IV as needed for bleeding episodes. Contact your physician's office if bleeding does not resolve. <input type="checkbox"/> Other: _____ Weight: ____ kg | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Coagadex | <input type="checkbox"/> 250 IU <input type="checkbox"/> 500 IU | <input type="checkbox"/> Prophylaxis: ____ IU/kg IV twice weekly <input type="checkbox"/> On demand treatment: ____ IU/kg at the first sign of bleeding. Repeat at intervals of 24 hours until bleed stops. Contact your physician's office if bleeding does not resolve. <input type="checkbox"/> Other: _____ Weight: ____ kg | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Esperoct | <input type="checkbox"/> ____ IU/kg | <input type="checkbox"/> Prophylaxis: ____ IU/kg IV every ____ days or ____ times per week <input type="checkbox"/> On demand treatment: ____ IU/kg IV as needed for bleeding episodes. Contact your physician's office if bleeding does not resolve. <input type="checkbox"/> Other: _____ Weight: ____ kg | Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Hemlibra | <input type="checkbox"/> 12 mg/0.4 ml <input type="checkbox"/> 30 mg/mL <input type="checkbox"/> 60 mg/0.4 mL <input type="checkbox"/> 105 mg/0.7 mL <input type="checkbox"/> 150 mg/1 mL <input type="checkbox"/> 300 mg/2 ml | <input type="checkbox"/> Initial dose: 3 mg/kg subcutaneously once weekly for 4 weeks <input type="checkbox"/> Maintenance dose: <input type="checkbox"/> 1.5 mg/kg subcutaneously every week <input type="checkbox"/> 3 mg/kg subcutaneously every 2 weeks <input type="checkbox"/> 6 mg/kg subcutaneously every 4 weeks Weight: ____ kg | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |

Patient is interested in patient support programs **STAMP SIGNATURE NOT ALLOWED** Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

| | |
|--|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature: _____ Date: _____ | May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature: _____ Date: _____ |
| CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" ATTN: New York and Iowa providers, please submit electronic prescription | |

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Hemophilia Enrollment Form

Please Complete Patient and Prescriber Information

Patient Name: _____ Patient DOB: _____ Patient Phone: _____

Patient Address: _____

Prescriber Name: _____ Prescriber Phone: _____

5 PRESCRIPTION INFORMATION

| MEDICATION | STRENGTH | DOSE & DIRECTIONS | QUANTITY/REFILLS |
|---------------------------------------|--|---|---|
| <input type="checkbox"/> Hympavzi | <input type="checkbox"/> 150 mg/mL PFS <input type="checkbox"/> 150 mg/mL PEN | <input type="checkbox"/> Initial dose: Inject 300 mg (two 150mg injections) subcutaneously once <input type="checkbox"/> Maintenance dose: Inject 150 mg subcutaneously every week | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> NovoSeven RT | <input type="checkbox"/> ____ mcg/kg | Infuse _____ mcg/kg slow IV push every _____ hours, and/or _____ Weight: _____ kg | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> SevenFact | <input type="checkbox"/> 1 mg <input type="checkbox"/> 5 mg | For Mild/Moderate bleeds: <input type="checkbox"/> 75 mcg/kg IV, repeat q 3 hours until hemostasis achieved or <input type="checkbox"/> Initial dose of 225 mcg/kg IV. May infuse 75 mcg/kg IV q 3 hours prn if hemostasis not achieved within 9 hours. For Severe bleeds: <input type="checkbox"/> 225 mcg/kg IV, followed if necessary 6 hours later with 75 mcg/kg IV every 2 hours. <input type="checkbox"/> Other: _____ Round to nearest whole vial. Weight: _____ kg | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Stimate | <input type="checkbox"/> 150 mcg | <input type="checkbox"/> Weight <50 kg: Single spray in one nostril <input type="checkbox"/> Weight >50 kg: Single spray in each nostril (2 sprays total) <input type="checkbox"/> Other: _____ | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |

Patient is interested in patient support programs **STAMP SIGNATURE NOT ALLOWED** Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

| | |
|--|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature: _____ Date: _____ | May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature: _____ Date: _____ |
| CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" _____ ATTN: New York and Iowa providers, please submit electronic prescription | |

Hemophilia Enrollment Form

Nursing Medications

Please Complete Patient and Prescriber Information

Patient Name: _____ Patient DOB: _____ Patient Phone: _____
 Patient Address: _____
 Prescriber Name: _____ Prescriber Phone: _____

5 PRESCRIPTION INFORMATION

| MEDICATION | STRENGTH | DOSE & DIRECTIONS | QUANTITY/REFILLS |
|--|---|---|--|
| <input type="checkbox"/> Normal Saline | Other: _____ | Access Device: <input type="checkbox"/> Port <input type="checkbox"/> PICC <input type="checkbox"/> PIV <input type="checkbox"/> Butterfly <input type="checkbox"/> Other: _____ <input type="checkbox"/> _____ mL every _____ | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Heparin | <input type="checkbox"/> 10 IU/mL <input type="checkbox"/> 100 IU/mL | Access Device: <input type="checkbox"/> Port <input type="checkbox"/> PICC <input type="checkbox"/> PIV <input type="checkbox"/> Butterfly <input type="checkbox"/> Other: _____ <input type="checkbox"/> _____ mL every _____ | Quantity: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> Other: _____ Refills: <input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |

| MEDICATION/SUPPLIES | ROUTE | DOSE/STRENGTH/DIRECTIONS | QUANTITY/REFILLS |
|---|---|--|-----------------------------------|
| Catheter <input type="checkbox"/> PIV <input type="checkbox"/> PORT <input type="checkbox"/> CVC/PICC | IV | Catheter Care/Flush – Only on drug admin days – SASH or PRN to maintain IV access and patency PIV: NS 5 mL (Heparin 10 units/ml 3-5 mL if multiple days) CVC/PICC: NS 10 mL & <input type="checkbox"/> Heparin 10 u/mL or <input type="checkbox"/> 100 units/mL 3-5mL PORT: 10 mL sterile saline to access PORT w/ huber needle NS 10 mL & Heparin 100 units/mL 3-5 mL | Quantity: _____ Refills: _____ |
| <input type="checkbox"/> Diphenhydramine Oral | PO | <input type="checkbox"/> 12.25 mg/kg (0-30 kg) <input type="checkbox"/> 25 mg <input type="checkbox"/> 50 mg (Over 30 kg) | Quantity: _____ Refills: _____ |
| <input type="checkbox"/> Diphenhydramine 50 mg/mL vial | <input type="checkbox"/> Slow IV <input type="checkbox"/> IM | <input type="checkbox"/> 1 mg/kg (under 15 kg) <input type="checkbox"/> 12.5-50 mg (15-30 kg) <input type="checkbox"/> 25 mg <input type="checkbox"/> 50 mg (Over 30 kg) May repeat in 3-5 minutes as needed (Max dose-50 mg) | Quantity: _____ Refills: _____ |
| <input type="checkbox"/> Epinephrine **nursing requires** | <input type="checkbox"/> IM <input type="checkbox"/> SC | <input type="checkbox"/> 1:1000, 0.3 mg/ 0.3 mL (greater than 30 kg/66lbs) <input type="checkbox"/> 1:1000, 0.15 mg/0.3 mL (15-30 kg/33-66lbs) <input type="checkbox"/> 1:1000, 0.01 mg/kg, Max 0.3 mg (under 15 kg) Mild-Moderate Reactions. May repeat in 3-5 minutes as needed For severe allergic reaction also call 911 | Quantity: _____ Refills: _____ |
| <input type="checkbox"/> Other: _____ | Other: _____ | Other: _____ | Quantity: _____ Refills: _____ |

Patient is interested in patient support programs **STAMP SIGNATURE NOT ALLOWED** Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

| | |
|--|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature: _____ Date: _____ | May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature: _____ Date: _____ |
| CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" ATTN: New York and Iowa providers, please submit electronic prescription | |

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.