## Pulmonary Arterial Hypertension (PAH) Infused/Inhaled Enrollment Form



 Fax Referral To: 1-855-297-1270
 Phone: 1-888-280-1190

 Address: 6020 Ave Roberto Sanchez Vilella Carolina, PR 00982
 NCPDP: 4026325

| Six Simple Steps   | s to Submitting a Referral         |  |
|--|------------------------------------|--|
| PATIENT INFORMATION (Complete or include demograph               | nic sheet)                         |  |
| Patient Name:  |                                    |  |
| Address:   |                                    |  |
| Preferred Contact Methods: Phone (to primary # provided below)   | below)  Text (to cell # pro        | vided below) 🗌 Email (to email provided      |
| Note: Carrier charges may apply. By providing the phone numb     | per(s) and email address abov      | e, you are consenting to receive             |
| automated calls, emails and/or text messages from CVS Speci      | alty® about your prescription      | (s), account, and health care. Standard data |
| rates apply. Message frequency varies. If unable to contact via  |                                    |  |
| Primary Phone:   |                                    |  |
|  |                                    | Primary Language:                            |
| Parent/Caregiver/Legal Guardian Name (Last, First):              | Relationship to p                  | Datient:                                     |
| PRESCRIBER INFORMATION   |                                    |  |
| Prescriber's Name:   |                                    |  |
| NPI #: DEA #: Group or Hospital:                                 |                                    |  |
| Address: C   | City, State, ZIP Code:             |  |
| Phone: Fax Conta   | ct Person: C                       | ontact's Phone:                              |
| 3 INSURANCE INFORMATION Please fax copy of prescription          | n and insurance cards with this fo | orm, if available (front and back)           |
| <b>4</b> DIAGNOSIS AND CLINICAL INFORMATION                      |                                    |  |
|  | Office Other:                      |  |
|  |                                    |  |
| Diagnosis (ICD-10):  |                                    |  |
| Date of Diagnosis:   |                                    |  |
|  | I27.20 Pulmonary Hyperte           | -  |
|  |                                    | nolic Pulmonary Hypertension                 |
|  | I27.89 Other Specified Puli        | nonary Disease                               |
| Other Code: Description  |                                    |  |
| Patient Clinical Information:                                    |                                    |  |
| New York Heart Association (NYHA) Functional Classification:     |                                    |  |
| 6 Minute Walk Distance: meters                                   |                                    |  |
| Is patient currently on another therapy for pulmonary hyperter   | nsion? 🗌 Yes 🗌 No                  |  |
| If Yes, name of drug(s):   |                                    |  |
| Weight: lb/kg Height: in/cm Allergies:                           |                                    |  |
| Attach copies of: History and Physical Right Heart Cathe         |                                    | el Blocker Statement 🗌 Echocardiogram        |
| Nursing: Not Needed Pre-hospital/Pre-home Teaching               |                                    |  |
|  |                                    | arsing Follow-up                             |
| Start of care date: Number of visits:                            | —                                  |  |
| Prostacyclin Referral Information:                               |                                    |  |
| Check the boxes below to designate which items are includ        |                                    |  |
| PAH diagnosis and ICD-10 code (designated on PAH referral fo     |                                    |  |
| Is Medicare Part B the primary insurance for this referral?      | L No                               |  |
|  |                                    |  |
| Current H&P (within 6 months); Date of H&P:                      |                                    |  |
| Right Heart Catheterization (RHC); Check below if included i     | •                                  |  |
| Mean PA Pressure (or systolic/diastolic) > 25 mmHg at re         | est or > 30 mmHg with exertion     |  |
| Cardiac Output   |                                    |  |
|  | llary Wedge Pressure (or LVED      | P) < 15 mmHg                                 |
| Echocardiogram   |                                    |  |
| Calcium Channel Blocker statement with supporting docum          |                                    |  |
| Patients with the following disease states will require docum    |                                    |  |
| heart disease, valvular heart disease, lung disease, sarcoidosis | and other co-morbidities, exce     | pt for the ones listed in WHO Group I        |
| category   |                                    |  |

## Pulmonary Arterial Hypertension (PAH) Infused/Inhaled Enrollment Form

|   | Tyvaso,  | Tyvaso DPI, Epopros   | tenol (Generic Flolan)  |  |  |
|---|--|---|---|--|--|
|   | Please Con   | nplete Patient and  | Prescriber Information  |  |  |
| Patient Name:                                   |  | Patient DOB:  | Patient Phone:  |  |  |
| Patient Address:                                |  |   |   |  |  |
|   |  | Prescriber Phone:   |   |  |  |
| <b>5 PRESCRIPTION</b>                           | N INFORMATION  |   |   |  |  |
| INHALED PRODUC                                  | <u>:TS:</u>  |   |   |  |  |
| MEDICATION                                      | STRENGTH   |   | DOSE & DIRECTIONS   | QUANTITY/REFILLS   |  |
| Tyvaso<br>(treprostinil)<br>Inhalation Solution | Tyvaso Inhalation System Starter Kit Tyvaso Refill Kit   | <ul> <li>Start with 3 breaths (18 mcg) four times daily. Increase by 3-4 breaths at 1-2 week intervals, if tolerated, until the target dose of 9 breaths (54 mcg) four times daily.</li> <li>Other:</li> </ul>  |   | Quantity: 28-day<br>supply<br>Refills:   |  |
| Tyvaso DPI<br>(Treprostinil)                    | Tyvaso DPI Titration Kit<br>16 mcg/32 mcg<br>16 mcg/32 mcg/48 mcg<br>Tyvaso DPI Maintenance Kit<br>16 mcg<br>32 mcg<br>48 mcg<br>64 mcg<br>80 mcg: 32 mcg/48 mcg | Target dose:         48 mcg       64 mcg       Other mcg         per treatment session, 4 times daily         Start with one 16 mcg cartridge per treatment session, 4 times         daily. Increase cartridge strength by 16 mcg per treatment session         every week as tolerated to selected target dose.         Inhale one breath per cartridge 4 times daily         Other: |   | <ul> <li>Tyvaso DPI</li> <li>Titration Kit</li> <li>Quantity:</li> <li>28-day supply</li> <li>Refills: 0</li> <li>Tyvaso DPI</li> <li>Maintenance Kit</li> <li>Quantity:</li> <li>28-day supply</li> <li>Refills:</li> </ul> |  |
| Patient is interested in pa                     |  | SIGNATURE NOT ALLOWED   | ,   | ed as needed for administration  |  |
| DAW / May Not Substitu                          | Brand Medically Necessary / Do Not Sub   | stitute / No Substitution /   | May Substitute / Product Selection Permitted /<br>Substitution Permissible<br>Prescriber's Signature: | Date:  |  |
| CA. MA. NC & PR: Interd                         | change is mandated unless Prescriber writes  | the words " <b>No Substitution</b> "  | ATTN: New York and Iowa providers, pl   | ease submit electronic prescription  |  |

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

## -. • • /= . ...

|   | Please  | <b>Complete Patient and P</b>  | Prescriber Information  |  |
|---|---|--|---|--|
|   |   | Patient DOB:   | Patient Phone:  |  |
|   |   |  |   |  |
|   |   |  | Prescriber Phone:   |  |
|   |   |  |   |  |
| INFUSED THERAF                                | <u>STRENGTH</u>   | DO   | SE & DIRECTIONS QL  | JANTITY/REFILLS  |
| MEDICATION                                    | STRENGTH  | SC continuous over 24 ho   |   | JANTITY REFILLS  |
| Remodulin<br>(treprostinil)<br>for injection  | ☐ 1 mg/mL, 20 mL vial<br>☐ 2.5 mg/mL, 20 mL vial<br>☐ 5 mg/mL, 20 mL vial<br>☐ 10 mg/mL, 20 mL vial | Initial dose: ng/kg/         days until goal of ng/kg/         Change infusion site every         Palliative med PRN         Pump: 2 CADD-MS3 pumps*         IV infusion continuous over         Initial dose: ng/kg/         days until goal of ng/kg/         days until goal of ng/kg/         Diluent: Check one (Sterile di checked)         0.9% NaCl for injection         Epoprostenol Sterile dilue         Pump:         2 CADD-Legacy Pumps [         2 CADD-MS 3 Pumps*         CVC Care:              | min. Titrate byng/kg/min every<br>g/kg/min achieved.<br>days.<br>*For pediatric or low weight patients ONLY<br>er 24 hours<br>min. Titrate byng/kg/min every<br>g/kg/min achieved.<br>luent for Remodulin will be used if no box is<br>Sterile Water for injection<br>mtSterile diluent for Remodulin | Quantity:<br>One-month<br>supply of drug<br>and supplies.<br>Dosing weight:<br>kg/lb<br>Refills: |
| ☐ Treprostinil<br>(Generic<br>Remodulin)      | ☐ 1 mg/mL, 20 mL vial<br>☐ 2.5 mg/mL, 20 mL vial<br>☐ 5 mg/mL, 20 mL vial<br>☐ 10 mg/mL, 20 mL vial | days until goal of n<br><u>Diluent</u> : Check one (Sterile di<br>checked)<br>0.9% NaCl for injection<br>Epoprostenol Sterile dilue<br><u>Pump</u> : 2 CADD-Legacy Po<br><u>CVC Care:</u>  | min. Titrate byng/kg/min every<br>g/kg/min achieved.<br>luent for Treprostinil will be used if no box is  | Quantity:<br>One-month<br>supply of drug<br>and supplies.<br>Dosing weight:<br>kg/lb<br>Refills: |
| Veletri<br>(epoprostenol)<br>for injection    | ☐ 0.5 mg vial<br>☐ 1.5 mg vial  | IV infusion continuous over 24 hours         Initial dose:ng/kg/min. Titrate byng/kg/min every         days until goal ofng/kg/min achieved.         Discharge dose:ng/kg/min Concentration:ng/mL         Diluent: Check one (0.9% Sodium Chloride will be used if no box is checked)         I 0.9% NaCl for injection       Sterile Water for injection         Pump:       I 2 CADD-Legacy Pumps       I 2-CADD Solis Pumps         CVC Care:       I Dressing change every days.       Per IV standard of care |   | Quantity:<br>30-day supply of<br>drug and<br>supplies.<br>Dosing weight:<br>kg/lb<br>Refills:    |
| Epoprostenol (Generic Veletri)                | ☐ 0.5 mg vial<br>☐ 1.5 mg vial  | IV infusion continuous over 24 hours         Initial dose: ng/kg/min. Titrate byng/kg/min every         days until goal of ng/kg/min achieved.         Discharge dose: ng/kg/min Concentration: ng/mL <u>Diluent:</u> Check one (0.9% Sodium Chloride will be used if no box is checked)         0.9% NaCl for injection       Sterile Water for injection <u>Pump:</u> 2 CADD-Legacy Pumps       2-CADD Solis Pumps <u>CVC Care</u> :       days.       Per IV standard of care                                   |   | Quantity:<br>30-day supply of<br>drug and<br>supplies.<br>Dosing weight:<br>kg/lb<br>Refills:    |
| Patient is interested in p                    |   | STAMP SIGNATURE NOT ALLOWED  | Ancillary supplies and kits provided as neede   | d for administration   |
|   |   |  | AMP SIGNATURE NOT ALLOWED)  |  |
| "Dispense As Written"<br>DAW / May Not Substi | ' / Brand Medically Necessary / Do N<br>itute   | lot Substitute / No Substitution /   | May Substitute / Product Selection Permitted /<br>Substitution Permissible  |  |
| Prescriber's Signature:Date:Date:             |   | Prescriber's Signature:  | Date:   |  |

to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature. CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this

communication and any attachments. Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.